



МАТЕРІАЛИ ДРУКУЮТЬСЯ
УКРАЇНСЬКОЮ, АНГЛІЙСЬКОЮ,
ПОЛЬСЬКОЮ МОВАМИ

ЗБІРНИК НАУКОВИХ ПРАЦЬ

*Всеукраїнської науково-практичної
конференції з міжнародною участю*

АКТУАЛЬНІ ПРОБЛЕМИ ПОЖЕЖНОЇ БЕЗПЕКИ ТА ЗАПОБІГАННЯ НАДЗВИЧАЙНИМ СИТУАЦІЯМ В УМОВАХ СЬОГОДЕННЯ

Львів – 2022

РЕДАКЦІЙНА КОЛЕГІЯ:

- Голова:** **Мирослав КОВАЛЬ** – ректор Львівського державного університету безпеки життєдіяльності, доктор педагогічних наук, професор
- Заступники голови:** **Андрій КУЗИК** – завідувач кафедри екологічної безпеки, доктор сільськогосподарських наук, професор
Андрій ЛИН – начальник навчально-наукового інституту пожежної та техногенної безпеки ЛДУ БЖД, к.т.н., доцент
- Члени оргкомітету:** **Ігор БРЕГІН** – начальник управління запобігання надзвичайним ситуаціям ГУ ДСНС України у Львівській області;
Петро ГАЦУК – д.т.н., професор, завідувач кафедри експлуатації транспортних засобів та пожежно-рятувальної техніки ЛДУ БЖД;
Сергій СМЕЛЬЯНЕНКО, к.т.н., начальник відділу організації науково-дослідної діяльності ЛДУ БЖД;
Андрій КАЛИНОВСЬКИЙ – к.т.н., доцент, начальник кафедри інженерної та аварійно-рятувальної техніки НУЦЗ України;
Василь КОВАЛИШИН – д.т.н., професор, завідувач кафедри ліквідації наслідків надзвичайних ситуацій ЛДУ БЖД;
Андрій КУШНІР – к.т.н., доцент, доцент кафедри наглядово-профілактичної діяльності та пожежної автоматики ЛДУ БЖД;
Василь ЛУЩ – к.т.н., доцент, заступник начальника кафедри пожежної тактики та аварійно-рятувальних робіт ЛДУ БЖД;
Ігор МАЛАДИКА – к.т.н., доцент, начальник факультету оперативнорятувальних сил Черкаського інституту пожежної безпеки імені Героїв Чорнобиля НУЦЗ України;
Борис МИХАЛЧКО – д.х.н., професор, завідувач кафедри фізики та хімії горіння ЛДУ БЖД;
Олег НАЗАРОВЕЦЬ – к.т.н., доцент, заступник начальника кафедри аналітико-профілактичної діяльності та пожежної автоматики ЛДУ БЖД;
Олег ПАЗЕН – к.т.н., начальник кафедри наглядово-профілактичної діяльності та пожежної автоматики ЛДУ БЖД;
Іван ПАСНАК – к.т.н., доцент, заступник начальника навчально-наукового інституту пожежної та техногенної безпеки ЛДУ БЖД з навчально-наукової роботи;
Андрій САМЛЮ – к.ю.н., доцент, т.в.о. начальника кафедри права та менеджменту у сфері цивільного захисту ЛДУ БЖД;
Тарас ШНАЛЬ – д.т.н., доцент, професор кафедри будівельних конструкцій та мостів НУ «Львівська політехніка»

**ОРГАНІЗАТОР
ТА ВИДАВЕЦЬ**

Львівський державний університет
безпеки життєдіяльності

**Технічний редактор,
комп'ютерна верстка**

Беседа А.В.

Друк на різнографі

Петролюк Н.І.

Відповідальний за друк

Фльорко М.Я.

АДРЕСА РЕДАКЦІЇ:

ЛДУ БЖД, вул. Клепарівська, 35,
м. Львів, 79007

Контактні телефони:

(032) 233-24-79,
тел/факс 233-00-88

Актуальні проблеми пожежної безпеки та запобігання надзвичайним ситуаціям в умовах сьогодення: Зб. наук. праць Всеукраїнської науково-практичної конференції з міжнародною участю. – Львів: ЛДУ БЖД, 2022. – 568 с.

Збірник сформовано за науковими матеріалами Всеукраїнської науково-практичної конференції з міжнародною участю «**Актуальні проблеми пожежної безпеки та запобігання надзвичайним ситуаціям в умовах сьогодення.**»

Збірник містить матеріали таких тематичних секцій:

- Організація та забезпечення пожежної і техногенної безпеки.
- Системи протипожежного захисту.
- Теоретичні основи виникнення, розвитку та припинення процесів горіння.
- Організація гасіння пожеж та ліквідації надзвичайних ситуацій.
- Технічні засоби запобігання та ліквідації надзвичайних ситуацій.
- Менеджмент безпеки.

© ЛДУ БЖД, 2022

Здано в набір 30.09.2022. Підписано до друку 10.10.2022. Формат 60x84^{1/3}. Папір офсетний.

Ум. друк. арк. 35,25.

Гарнітура Times New Roman.

Друк на різнографі. Наклад: 100 прим.

Друк: ЛДУ БЖД

вул. Клепарівська, 35, м. Львів, 79007.

ldubzh.lviv@dsns.gov.ua

За точність наведених фактів, економіко-статистичних та інших даних, а також за використання відомостей, що не рекомендовані до відкритої публікації, відповідальність несуть автори опублікованих матеріалів. При передруковуванні матеріалів посилання на збірник обов'язкове.

ТЕХНІЧНІ ЗАСОБИ ЗАПОБІГАННЯ ТА ЛІКВІДАЦІЇ НАДЗВИЧАЙНИХ СИТУАЦІЙ

УДК 614.0.06, 535.243.25

METHOD OF REMOTE MONITORING OF THE ATMOSPHERE

Kovalev O.O., Ph.D., Associate Professor,
Baranovsky Y.M., cadet
National University of Civil Defence of Ukraine

The techno level of the modern world causes an increase in contingencies leading to industrial accidents and disasters, which in many cases are accompanied by emissions of harmful substances polluting the atmosphere. This poses a significant threat to the population, territories and the environment. Based on these positions, the development of methods for operational monitoring of the state of the atmosphere in emergency situations using remote gas analysis methods is an urgent problem in the field of civil protection.

An analysis of methods for the remote determination of substances in the atmosphere established that the leading position is occupied by optical methods for monitoring the composition of the atmosphere, which include recording and subsequent analysis of electromagnetic radiation from the object of study [1]. To control the composition of the atmosphere in emergency situations, the most rational use of the Fourier transform spectrometric complex (FSF).

To solve the problems of remote sensing of the atmosphere, a number of manufacturers have developed mobile Fourier spectrometers. The designs of Fourier spectroscopic systems are described in [1–3]. Most of them are equipped with a single-element photodetector and a manual guidance system on the object of study. Among such models, it should be noted the products of Midac (www.midac.com) and EDO corporation (www.nycedo.com), the spectral resolution of which reaches 0.15 cm⁻¹ in the working range of 7–40 mm, the minimum detectable concentrations at the presence of an external IR illumination source of 0.1-15 ppb. The second generation of mobile Fourier spectroradiometers include the similar products MR100 and MR200 from Bomem (www.bomem.com) and K300 from Kayser (www.kayser.it). Models of the MR series provide a spectral resolution of 0.2 32 cm⁻¹, a scanning speed of 2-100 spectra / s in the spectral range of 2 to 15 microns.

Recommended measurement path lengths for active methods are 5-500 m. Currently, more technically advanced models of Fourier spectroradiometers, initially oriented to passive operation, have also appeared. These are the developments of the companies “Bomem” (model CATSI), “Bruker” (model OPAG22), “Blocking Engineering” (models Model 100, Model 500 and Block I-Spec). Models MCAD and PORTHOS are fully automated systems and are designed to operate in the range of 7-14 microns in order to identify toxic substances and industrial ecotoxins in the atmosphere with a range of 0.1-5 km.

Thus, the main fields of application of Fourier spectrometers / radiometers (FSR) can be formulated:

1. Identification of substances from a remote position, which is necessary for the detection of toxic and poisonous compounds, environmental monitoring of industrial enterprises, compliance with labor protection conditions [3], etc. In these cases, medium resolution spectra are recorded (usually units cm^{-1}) and it is meant to carry out an express analysis of substances in an extremely short time, where the main task is identification with a lack of information about the surrounding meteorological situation. These analysis procedures are almost completely automated.

2. Identification of substances under conditions of elevated temperatures and pressures, as well as in rapidly changing conditions where it is fundamentally impossible to carry out analysis by sampling. For example, in the framework of the AEROTEST and AEROJET FSR projects, systems are used to analyze greenhouse, toxic, and ozone-depleting substances in aircraft gas turbine exhausts. Such information is used for subsequent refinement of engines for the complete combustion of fuel and for the development of environmental standards.

3. Visualization of a cloud of gas or aerosol in the atmosphere [3]. Such systems work as quick response systems for the release of substances and aerosols into the atmosphere and allow both to warn of the release of substances and to localize the cloud. In this case, it is advisable to use panoramic FSR.

4. Determination of the temperature of the gas mixture from a remote position. For example, in [6], spectral regions were considered where it is a priori known that the substance is in a state of saturation for these conditions, for example, the R branch in the CO_2 emission spectrum in the range of 2390 cm^{-1} . The approximation of the spectrum by the Planck function allows you to restore the temperature of the mixture. In [6], an algorithm is presented for reconstructing the temperature of the atmosphere from a spectroradiometer located on a satellite with an error of 10 per kilometer layer, even with significant cloud cover of the Earth's surface.

5. A detailed chemical analysis of the composition of the atmosphere and observation of changes in atmospheric components, such as ozone or greenhouse gases. For this, high-resolution spectra and line-by-line algorithms are used with meteorological information, for example, from probes [1-3]. In some cases, this

procedure is preliminary for calculating the background spectrum and extracting the spectrum of the analyte. In any case, such procedures require the collection of a large amount of initial information, highly qualified researcher and significant time and computational costs.

6. Restoring the characteristics of the atmosphere, oceans and underlying surface from space (temperature profiles, humidity profiles, ozone content, underlying surface temperature, cloud cover fraction, etc.) to simulate the dynamics of the behavior of the Earth as a system, isolating and assessing the main factors determining its modern behavior, as well as predicting the characteristics of the system for different periods in different regions. In 1999 under the (EOS) / NASA program, the Terra satellite, carrying five spectroradiometers, was launched into orbit. The studied objects and measured characteristics are described in the source. Characteristic restoration algorithms are given in [7]. In the Russian Federation, to solve the problems of satellite monitoring of the Earth's atmosphere and the oceans, the IKFS-2 Fourier spectrometer located on the Meteor-M satellite is used.

An analysis of spectroscopic databases and spectroscopic program complexes showed that existing compilations of spectroscopic databases contain the most complete spectra and identification of vibrational-rotational transitions of molecules that form the basis of a standard atmosphere [1]. The most informative are two databases that are developed almost simultaneously in the United States and France: HITRAN (<http://www.cfa.harvard.edu>), GEISA (<http://ara.lmd.polytechnique.fr>).

Conclusions:

1. Currently, there is not a single implemented method and method in the world for non-sampling analysis of substances in an open atmosphere for the needs of fire and rescue units, while non-sampling methods for spectral analysis of substances in an open atmosphere are extremely popular and have significant potential for use by fire and rescue services as in Ukraine and in the world.

2. Subject to the development of appropriate mathematical methods for processing and interpreting experimental information obtained by Fourier spectrometers, the use of modern mini-computers will allow to obtain results in real time. Moreover, thanks to the growth of computing power and the miniaturization of modern computers, it became possible to conduct a non-sampling analysis of substances in an open atmosphere in the field.

References

1. Scanning Fourier transform spectrometer in the visible range based on birefringent wedges / Aurelio Oriana, Julien Réhault, Fabrizio Preda, Dario Polli, and Giulio Cerullo / Journal of the Optical Society of America / 2016 / Vol. 33, Issue 7, pp. 1415-1420

2. Editorial for the Special Issue “Optical and Laser Remote Sensing of the Atmosphere” / Dennis K. Killinger 1, and Robert T. Menzies / Remote Sens. 2019, 11(7), pp. 742

3. Fourier transform spectrometer on silicon with thermo-optic non-linearity and dispersion correction / Mario C. M. M. Souza, Andrew Grieco, Newton C. Frateschi & Yeshaiahu Fainman / Nature Communications volume 9, Article number: 665 (2018)

<i>Потапенко А.В., Ніжник В.В., Нікулін О.Ф.</i> , ПОЖЕЖІ НА ВІДКРИТИХ ТЕРИТОРІЯХ ТЕНДЕНЦІЇ УДОСКОНАЛЕННЯ СПОСОБІВ ЇХ ГАСІННЯ.....	364
<i>Федоренко Д.С., Григор'ян М.Б., Кропива М.О.</i> , ПРОБЛЕМИ ТА ПЕРСПЕКТИВИ ЗАСТОСУВАННЯ ПНЕВМАТИЧНИХ РЯТУВАЛЬНИХ ПОДУШОК.....	366
<i>Сукач Р.Ю., Войтович Д.П.</i> , РАДІАЦІЙНА БЕЗПЕКА УЧАСНИКІВ ГАСІННЯ ПОЖЕЖ В ЕКОСИСТЕМАХ НА ТЕРИТОРІЇ ЧОРНОБИЛЬСЬКОЇ ЗОНИ ВІДЧУЖЕННЯ.....	369
<i>Ковалишин В.В., Лозинський Р.Я., Войтович Т.М., Ковалишин Вол.В., Великий Н.Р.</i> , РОЗШИРЕННЯ ГАЛУЗІ ЗАСТОСУВАННЯ КОМПРЕСІЙНОЇ ПІНИ.....	372
<i>Останов К.М.</i> , УДОСКОНАЛЕННЯ НАДУВНОГО РЯТУВАЛЬНОГО ЗАСОБУ «СОЛОМИНКА».....	375

Секція 5 / Section 5

ТЕХНІЧНІ ЗАСОБИ ЗАПОБІГАННЯ ТА ЛІКВІДАЦІЇ НАДЗВИЧАЙНИХ СИТУАЦІЙ

<i>Kovalev O.O., Baranovsky Y.M.</i> , METHOD OF REMOTE MONITORING OF THE ATMOSPHERE.....	378
<i>Ковальчук А.М., Антошків Ю.М., Петренко А.М.</i> , АНАЛІЗ ВІДПОВІДНОСТІ ЧАСОВИХ ПОКАЗНИКІВ ВИКОНАННЯ НАВЧАЛЬНОЇ ВПРАВИ «НАЙСИЛЬНІШИЙ ПОЖЕЖНИЙ-РЯТУВАЛЬНИК».....	382
<i>Федів І.С., Конанець Р.М., Степова К.В.</i> , АНАЛІЗ МЕТОДІВ ОЧИЩЕННЯ ПІДТЕРИКОНОВИХ ВОД.....	385
<i>Гащук Л.П., Гащук П.М., Домінік А.М., Сичевський М.І.</i> , ЕФЕКТИВНІСТЬ CRUISE-КЕРУВАННЯ АВТОМОБІЛЬНОЮ АВАРІЙНО-РЯТУВАЛЬНОЮ ТЕХНІКОЮ.....	390