



ECOLOGY AND ENVIRONMENTAL TECHNOLOGY

DOI: 10.15587/2706-5448.2025.339602

DEVELOPMENT OF A METHOD FOR RAPID IGNITION DETECTION BASED ON CURRENT SELECTIVE DISPERSION OF HAZARDOUS PARAMETERS OF THE GAS ENVIRONMENT

pages 6–11

Igor Tolok, PhD, Associate Professor, Rector, National University of Civil Defence of Ukraine, Cherkasy, Ukraine, ORCID: <https://orcid.org/0000-0001-6309-9608>

Boris Pospelov, Doctor of Technical Sciences, Professor, Independent Researcher, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-0957-3839>

Evgeniy Rybka, Doctor of Technical Sciences, Professor, Research Center, National University of Civil Defence of Ukraine, Cherkasy, Ukraine, ORCID: <https://orcid.org/0000-0002-5396-5151>, e-mail: e.a.rybka@gmail.com

Andrii Iatsyshyn, Doctor Technical Sciences, Senior Researcher, Center for Information-Analytical and Technical Support of Nuclear Power Facilities Monitoring of the National Academy of Sciences of Ukraine, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0001-5508-7017>

Ihor Morozov, PhD, Senior Researcher, Department of Research and Organization, National Academy of the National Guard of Ukraine, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-9643-481X>

Oleksii Krainiukov, Doctor of Geographical Sciences, Professor, Department of Environmental Safety and Environmental Education, V. N. Karazin Kharkiv National University, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-5264-3118>

Yuliia Bezuhla, PhD, Associate Professor, Department of Prevention Activities and Monitoring, National University of Civil Defence of Ukraine, Cherkasy, Ukraine, ORCID: <https://orcid.org/0000-0003-4022-2807>

Larysa Prokhorova, PhD, Associate Professor, Department of Geography and Tourism, Bogdan Khmelnytsky Melitopol State Pedagogical University, Zaporizhzhia, Ukraine, ORCID: <https://orcid.org/0000-0001-7693-1897>

Tatiana Lutsenko, PhD, Associate Professor, Department of Prevention Activities and Monitoring, National University of Civil Defence of Ukraine, Cherkasy, Ukraine, ORCID: <https://orcid.org/0000-0001-7373-4548>

Dmytro Morkvin, Research Laboratory, National Academy of the National Guard of Ukraine, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-3651-6805>

The object of the study is the current sample dispersion of arbitrary hazardous parameters of the gas environment during the ignition of materials. A theoretical justification of the method of operational detection of ignitions based on significant deviations of the current difference of sample dispersions of the measured arbitrary hazardous parameter of the gas environment has been carried out. In this case, the significance of the current difference of sample dispersions will allow detecting the ignition occurrence in real-time observation of an arbitrary hazardous parameter of the gas environment. The method allows setting the level of significance for the current deviation and ensuring the maximum power of fire detection. Laboratory experiments were conducted to verify the proposed method. At the same time, the differences of sample dispersions of hazardous parameters of the gas environment correspond to the general sets of reliable absence and occurrence of ignition. The results of the verification showed that at a given level of significance, the method allows detecting current ignitions of materials based on significant deviations of sample dispersions of the considered parameters of the gas environment. It was found that the most sensitive in terms of ignition detection are the CO concentration and the temperature of the gas medium. The maximum rate of increase in the CO concentration during

the ignition of alcohol, paper, wood and textiles are 0.7 ppm^{m2}/s, 0.3 ppm^{m2}/s, 6.4 ppm^{m2}/s, 0.0025 ppm^{m2}/s, respectively. During the ignition of alcohol and paper, the rate of temperature increase is about 1°C/s, and during the ignition of wood and textiles – 0.25°C/s, respectively. The practical importance of the research lies in the use of significant deviations of the sample dispersions of parameters of the gas medium for the detection of material ignition.

Keywords: ignition detection, sample dispersion, hazardous parameter, gas medium, material ignition.

References

1. *World Fire Statistics* (2022). Center for Fire Statistics of CTIF, 27, 65.
2. Çetin, A. E., Mercı, B., Günay, O., Töreyin, B. U., Verstockt, S. (2016). Camera-Based Techniques. *Methods and Techniques for Fire Detection*. Academic Press, 3–46. <https://doi.org/10.1016/b978-0-12-802399-0.00002-8>
3. Sadkovyi, V., Andronov, V., Semkiv, O., Kovalov, A., Rybka, E., Otrosh, Y. et al. (2021). *Fire resistance of reinforced concrete and steel structures*. Kharkiv: PC TECHNOLOGY CENTER, 180. <https://doi.org/10.15587/978-617-7319-43-5>
4. Bogue, R. (2013). Sensors for fire detection. *Sensor Review*, 33 (2), 99–103. <https://doi.org/10.1108/02602281311299635>
5. Khan, F., Xu, Z., Sun, J., Khan, F. M., Ahmed, A., Zhao, Y. (2022). Recent Advances in Sensors for Fire Detection. *Sensors*, 22 (9), 3310. <https://doi.org/10.3390/s22093310>
6. Truong, C. T., Nguyen, T. H., Vu, V. Q., Do, V. H., Nguyen, D. T. (2023). Enhancing Fire Detection Technology: A UV-Based System Utilizing Fourier Spectrum Analysis for Reliable and Accurate Fire Detection. *Applied Sciences*, 13 (13), 7845. <https://doi.org/10.3390/app13137845>
7. El-afifi, M. I., Team, S., M. Elkelany, M. (2024). Development of Fire Detection Technologies. *Nile Journal of Communication and Computer Science*, 7 (1), 58–66. <https://doi.org/10.21608/njccs.2024.263103.1027>
8. Li, X., Hua, Y., Xia, N. (2013). Fire Detecting Technology based on Dynamic Textures. *Procedia Engineering*, 52, 186–195. <https://doi.org/10.1016/j.proeng.2013.02.125>
9. Vasconcelos, R. N., Franca Rocha, W. J. S., Costa, D. P., Duverger, S. G., Santana, M. M. M. de, Cambui, E. C. B. et al. (2024). Fire Detection with Deep Learning: A Comprehensive Review. *Land*, 13 (10), 1696. <https://doi.org/10.3390/land13101696>
10. Jee, S.-W., Lee, C.-H., Kim, S.-K., Lee, J.-J., Kim, P.-Y. (2012). Development of a Traceable Fire Alarm System Based on the Conventional Fire Alarm System. *Fire Technology*, 50 (3), 805–822. <https://doi.org/10.1007/s10694-012-0299-0>
11. Nolan, D. P. (2014). *Handbook of fire and explosion protection engineering principles: for oil, gas, chemical and related facilities*. William Andrew. <https://doi.org/10.1016/c2009-0-64221-5>
12. Pospelov, B., Rybka, E., Savchenko, A., Dashkovska, O., Harbuz, S., Naden, E. et al. (2022). Peculiarities of amplitude spectra of the third order for the early detection of indoor fires. *Eastern-European Journal of Enterprise Technologies*, 5 (10 (119)), 49–56. <https://doi.org/10.15587/1729-4061.2022.265781>
13. Li, J., Yan, B., Zhang, M., Zhang, J., Jin, B., Wang, Y., Wang, D. (2019). Long-Range Raman Distributed Fiber Temperature Sensor With Early Warning Model for Fire Detection and Prevention. *IEEE Sensors Journal*, 19 (10), 3711–3717. <https://doi.org/10.1109/jsen.2019.2895735>
14. Çetin, A. E., Dimitropoulos, K., Gouverneur, B., Grammalidis, N., Günay, O., Habiboglu, Y. H. et al. (2013). Video fire detection – Review. *Digital Signal Processing*, 23 (6), 1827–1843. <https://doi.org/10.1016/j.dsp.2013.07.003>
15. Pospelov, B., Andronov, V., Rybka, E., Chubko, L., Bezuhla, Y., Gordiichuk, S. et al. (2023). Revealing the peculiarities of average bicoherence of frequencies in the spectra of dangerous parameters of the gas environment during fire. *Eastern-European Journal of Enterprise Technologies*, 1 (10 (121)), 46–54. <https://doi.org/10.15587/1729-4061.2023.272949>
16. Dubinin, D., Cherkashyn, O., Maksymov, A., Beliuchenko, D., Hovalenkov, S., Shevchenko, S., Avetisyan, V. (2020). Investigation of the effect of carbon monoxide on people in case of fire in a building. *Sigurnost*, 62 (4), 347–357. <https://doi.org/10.31306/s.62.4.2>
17. Fisher, A. (2013). *Characterization of MQ-Series Gas Sensor Behavior*. Honors Capstones. 279.
18. Pospelov, B., Andronov, V., Rybka, E., Bezuhla, Y., Liashevskaya, O., Butenko, T. et al. (2022). Empirical cumulative distribution function of the characteristic sign

- of the gas environment during fire. *Eastern-European Journal of Enterprise Technologies*, 4 (10 (118)), 60–66. <https://doi.org/10.15587/1729-4061.2022.263194>
19. Sadkovyi, V., Pospelov, B., Rybka, E., Kremynskyi, B., Yashchenko, O., Bezuhla, Y. et al. (2022). Development of a method for assessing the reliability of fire detection in premises. *Eastern-European Journal of Enterprise Technologies*, 3 (10 (117)), 56–62. <https://doi.org/10.15587/1729-4061.2022.259493>
 20. Gupta, S. C., Kapoor, V. K. (2020). *Fundamentals of mathematical statistics*. Sultan Chand & Sons.
 21. Devore, J. L., Berk, K. N., Carlton, M. A. (2012). *Modern mathematical statistics with applications*. New York: Springer, 975. <https://doi.org/10.1007/978-3-030-55156-8>
 22. Otrosh, Y., Rybka, Y., Danilin, O., Zhuravskiy, M. (2019). Assessment of the technical state and the possibility of its control for the further safe operation of building structures of mining facilities. *E3S Web of Conferences*, 123, 01012. <https://doi.org/10.1051/e3sconf/201912301012>
 23. Zabulonov, Y. L., Popov, O. O., Skurativskiy, S. I., Stokolos, M. O., Puhach, O. V., Molitor, N. (2023). Mathematical tools of solving the problem of restoring the surface distribution of radiation pollution based on remote measurement data. *IOP Conference Series: Earth and Environmental Science*, 1254 (1), 012099. <https://doi.org/10.1088/1755-1315/1254/1/012099>
 24. Hogg, R. V., McKean, J. W., Craig, A. T. (2013). *Introduction to mathematical statistics*. Pearson Education India. Available at: <https://minerva.it.manchester.ac.uk/~saralees/statbook2.pdf>
 25. Stanley, D. J., Spence, J. R. (2024). The Comedy of Measurement Errors: Standard Error of Measurement and Standard Error of Estimation. *Advances in Methods and Practices in Psychological Science*, 7 (4). <https://doi.org/10.1177/25152459241285885>
 26. Pospelov, B., Rybka, E., Samoilov, M., Morozov, I., Bezuhla, Y., Butenko, T. et al. (2022). Defining the features of amplitude and phase spectra of dangerous factors of gas medium during the ignition of materials in the premises. *Eastern-European Journal of Enterprise Technologies*, 2 (10 (116)), 57–65. <https://doi.org/10.15587/1729-4061.2022.254500>

DOI: 10.15587/2706-5448.2025.340411

DETERMINATION OF OPTIMAL OPERATING MODES OF THE SELECTIVE CATALYTIC REDUCTION SYSTEM FOR MARINE DIESEL EXHAUST GASES

pages 12–22

Sergii Sagin, Doctor of Technical Sciences, Professor, Head of Department of Ship Power Plant, National University "Odessa Maritime Academy", Odessa, Ukraine, e-mail: saginsergii@gmail.com, ORCID: <https://orcid.org/0000-0001-8742-2836>

Oleksiy Kuropyatnyk, PhD, Department of Ship Power Plant, National University "Odessa Maritime Academy", Odessa, Ukraine, ORCID: <https://orcid.org/0009-0008-2565-5771>

The object of research is the process of ensuring the minimum level of carbon dioxide emissions when using selective catalytic reduction of exhaust gases from nitrogen oxides. It is noted that catalytic reduction systems provide the most effective purification of exhaust gases from nitrogen oxides. At the same time, due to the use of urea as a reagent in these systems, carbon dioxide emissions increase. This increases the greenhouse effect and reduces the energy efficiency of the ship. The research results presented in the work were carried out on a Gas Carrier class ship with a displacement of 127,645 tons with two main engines 5X72DF Hyundai-WinGD and three auxiliary engines 6H35DF Hyundai-HiMSEN. 5X72DF Hyundai-WinGD diesel engines were equipped with a high-pressure catalytic reduction system, 6H35DF Hyundai-HiMSEN diesel engines – with a low-pressure catalytic reduction system. It has been experimentally established that within the recommended range of urea supply to the catalytic reduction system of exhaust gases, there are optimal modes that ensure a minimal increase in carbon dioxide emissions while maintaining a high level of reduction in nitrogen oxide emissions. In these modes, the relative increase in carbon dioxide emissions does not exceed 2.3% for both types of diesel engines. Nitrogen oxide emissions for 5X72DF Hyundai-WinGD diesel engines do not exceed 3.3 g/(kW · h) and do not exceed 2.4 g/(kW · h) for 6H35DF Hyundai-HiMSEN diesel engines,

which meets the requirements of Annex VI MARPOL. The relative reduction in nitrogen oxide emissions in these modes is 66.7–83.4% for 5X72DF Hyundai-WinGD diesel engines and 60.8–78.3% for 6H35DF Hyundai-HiMSEN diesel engines. The coincidence of the obtained values for the low-speed diesel engine 5X72DF Hyundai-WinGD and the medium-speed 6H35DF Hyundai-HiMSEN indicates the correctness of the research and the possibility of implementing their results on all types of diesel engines and catalytic reduction systems.

Keywords: environmental indicators, maritime transport, exhaust gas purification, marine diesel, catalytic reduction system.

References

1. Kolegaev, M., Brazhnik, I. (2024). Improvement of the process of preparing cargo tanks of crude oil tankers for cargo operations. *Technology Audit and Production Reserves*, 6 (1 (80)), 36–40. <https://doi.org/10.15587/2706-5448.2024.318534>
2. Matieiko, O. (2024). Selection of optimal schemes for the inerting process of cargo tanks of gas carriers. *Technology Audit and Production Reserves*, 4 (1 (78)), 43–50. <https://doi.org/10.15587/2706-5448.2024.310699>
3. Maryanov, D. (2021). Development of a method for maintaining the performance of drilling fluids during transportation by Platform Supply Vessel. *Technology Audit and Production Reserves*, 5 (2 (61)), 15–20. <https://doi.org/10.15587/2706-5448.2021.239437>
4. Maryanov, D. (2022). Reduced energy losses during transportation of drilling fluid by Platform Supply Vessels. *Technology Audit and Production Reserves*, 2 (1 (64)), 42–50. <https://doi.org/10.15587/2706-5448.2022.256473>
5. Fomin, O., Lovska, A., Kučera, P., Píštěk, V. (2021). Substantiation of Improvements for the Bearing Structure of an Open Car to Provide a Higher Security during Rail/Sea Transportation. *Journal of Marine Science and Engineering*, 9 (8), 873. <https://doi.org/10.3390/jmse9080873>
6. Vladov, S., Shmelov, Y., Yakovliev, R. (2022). Optimization of Helicopters Aircraft Engine Working Process Using Neural Networks Technologies. *CEUR Workshop Proceedings*, 3171, 1639–1656. Available at: <https://ceur-ws.org/Vol-3171/paper117.pdf>
7. Madey, V. (2022). Assessment of the efficiency of biofuel use in the operation of marine diesel engines. *Technology Audit and Production Reserves*, 2 (1 (64)), 34–41. <https://doi.org/10.15587/2706-5448.2022.255959>
8. Budashko, V., Sandler, A., Shevchenko, V. (2022). Diagnosis of the Technical Condition of High-tech Complexes by Probabilistic Methods. *TransNav, the International Journal on Marine Navigation and Safety of Sea Transportation*, 16 (1), 105–111. <https://doi.org/10.12716/1001.16.01.11>
9. Sagin, S., Sagin, A., Zablotskiy, Y., Fomin, O., Píštěk, V., Kučera, P. (2025). Method for Maintaining Technical Condition of Marine Diesel Engine Bearings. *Lubricants*, 13 (4), 146. <https://doi.org/10.3390/lubricants13040146>
10. Sagin, S., Haichenia, O., Karianskiy, S., Kuropyatnyk, O., Razinkin, R., Sagin, A. et al. (2025). Improving Green Shipping by Using Alternative Fuels in Ship Diesel Engines. *Journal of Marine Science and Engineering*, 13 (3), 589. <https://doi.org/10.3390/jmse13030589>
11. Sagin, S. V., Kuropyatnyk, O. A., Zablotskiy, Y. V., Gaichenia, O. V. (2022). Supplying of Marine Diesel Engine Ecological Parameters. *Naše More*, 69 (1), 53–61. <https://doi.org/10.17818/nm/2022/1.7>
12. Khlopenko, M., Gritsuk, I., Sharko, O., Appazov, E. (2024). Increasing the accuracy of the vessel's course orientation. *Technology Audit and Production Reserves*, 1 (2 (75)), 25–30. <https://doi.org/10.15587/2706-5448.2024.298518>
13. Budashko, V., Shevchenko, V. (2021). Solving a task of coordinated control over a ship automated electric power system under a changing load. *Eastern-European Journal of Enterprise Technologies*, 2 (2 (110)), 54–70. <https://doi.org/10.15587/1729-4061.2021.229033>
14. Ma, Z., Du, T., Duan, S., Qu, H., Wang, K., Xing, H. et al. (2023). Analysis of Exhaust Pollutants from Four-Stroke Marine Diesel Engines Based on Bench Tests. *Journal of Marine Science and Engineering*, 11 (2), 413. <https://doi.org/10.3390/jmse11020413>
15. Wang, F., Zhao, J., Li, T., Guan, P., Liu, S., Wei, H. et al. (2025). Research on NO_x Emissions Testing and Optimization Strategies for Diesel Engines Under Low-Load Cycles. *Atmosphere*, 16 (2), 190. <https://doi.org/10.3390/atmos16020190>
16. Wang, Z., Ma, Q., Zhang, Z., Li, Z., Qin, C., Chen, J. et al. (2023). A Study on Monitoring and Supervision of Ship Nitrogen-Oxide Emissions and Fuel-Sulfur-Content Compliance. *Atmosphere*, 14 (1), 175. <https://doi.org/10.3390/atmos14010175>

17. Sagin, S., Sagin, A. (2023). Development of method for managing risk factors for emergency situations when using low-sulfur content fuel in marine diesel engines. *Technology Audit and Production Reserves*, 5 (1 (73)), 37–43. <https://doi.org/10.15587/2706-5448.2023.290198>
18. Kong, K.-J., Hwang, S.-C. (2024). Development and Performance Evaluation Experiment of a Device for Simultaneous Reduction of SO_x and PM. *Energies*, 17 (13), 3337. <https://doi.org/10.3390/en17133337>
19. Golovan, A., Gritsuk, I., Honcharuk, I. (2024). Reliable Ship Emergency Power Source: A Monte Carlo Simulation Approach to Optimize Remaining Capacity Measurement Frequency for Lead-Acid Battery Maintenance. *SAE International Journal of Electrified Vehicles*, 13 (2), 179–189. <https://doi.org/10.4271/14-13-02-0009>
20. Melnyk, O., Fomin, O., Shumylo, O., Yarovenko, V., Jurković, M., Ocheretna, V.; Babak, V., Zaporozhets, A. (Eds.) (2025). Simulation of the Interrelationship Between Energy Efficiency and Ship Safety Based on Empirical Data and Regression Analysis. *Systems, Decision and Control in Energy VII*. Cham: Springer, 277–293. https://doi.org/10.1007/978-3-031-90462-2_16
21. Sagin, S., Kuropyatnyk, O., Matieiko, O., Razinkin, R., Stoliaryk, T., Volkov, O. (2024). Ensuring Operational Performance and Environmental Sustainability of Marine Diesel Engines through the Use of Biodiesel Fuel. *Journal of Marine Science and Engineering*, 12 (8), 1440. <https://doi.org/10.3390/jmse12081440>
22. Sagin, S. V., Karianskyi, S., Sagin, S. S., Volkov, O., Zablotskyi, Y., Fomin, O. et al. (2023). Ensuring the safety of maritime transportation of drilling fluids by platform supply-class vessel. *Applied Ocean Research*, 140, 103745. <https://doi.org/10.1016/j.apor.2023.103745>
23. Sagin, S. V., Kuropyatnyk, O. A. (2018). The Use of Exhaust Gas Recirculation for Ensuring the Environmental Performance of Marine Diesel Engines. *Naše More*, 65 (2), 78–86. <https://doi.org/10.17818/nm/2018/2.3>
24. International Convention for the Prevention of Pollution from Ships (MARPOL). *International Maritime Organization*. Available at: [https://www.imo.org/en/about/Conventions/Pages/International-Convention-for-the-Prevention-of-Pollution-from-Ships-\(MARPOL\).aspx](https://www.imo.org/en/about/Conventions/Pages/International-Convention-for-the-Prevention-of-Pollution-from-Ships-(MARPOL).aspx) Last accessed: 23.09.2025
25. Varbanets, R., Fomin, O., Pištěk, V., Klymenko, V., Minchev, D., Khurlev, A. et al. (2021). Acoustic Method for Estimation of Marine Low-Speed Engine Turbo-charger Parameters. *Journal of Marine Science and Engineering*, 9 (3), 321. <https://doi.org/10.3390/jmse9030321>
26. Vladov, S., Shmelov, Y., Yakovliev, R., Stushchankyi, Y., Havryliuk, Y. (2023). Neural Network Method for Controlling the Heli-copters Turboshift Engines Free Turbine Speed at Flight Modes. *CEUR Workshop Proceedings*, 3426, 89–108. Available at: <https://ceur-ws.org/Vol-3426/paper8.pdf>
27. Zhevzyh, O., Potapchuk, I., Horiachkin, V., Raksha, S., Bosyi, D., Reznik, A. (2025). Mathematical modelling of mixture formation in the combustion chamber of a diesel engine. *Technology Audit and Production Reserves*, 2 (1 (82)), 63–68. <https://doi.org/10.15587/2706-5448.2025.326746>
28. Wang, W., Wang, G., Wang, Z., Lei, J., Huang, J., Nie, X. et al. (2022). Optimization of Miller Cycle, EGR, and VNT on Performance and NO_x Emission of a Diesel Engine for Range Extender at High Altitude. *Energies*, 15 (23), 8817. <https://doi.org/10.3390/en15238817>
29. Lee, J.-U., Hwang, S.-C., Han, S.-H. (2023). Numerical and Experimental Study on NO_x Reduction According to the Load in the SCR System of a Marine Boiler. *Journal of Marine Science and Engineering*, 11 (4), 777. <https://doi.org/10.3390/jmse11040777>
30. Fischer, D., Vith, W., Unger, J. L. (2024). Assessing Particulate Emissions of Novel Synthetic Fuels and Fossil Fuels under Different Operating Conditions of a Marine Engine and the Impact of a Closed-Loop Scrubber. *Journal of Marine Science and Engineering*, 12 (7), 1144. <https://doi.org/10.3390/jmse12071144>
31. Wang, W., Li, Z., Ji, X., Wang, Y., Wang, X. (2024). Water Injection for Cloud Cavitation Suppression: Analysis of the Effects of Injection Parameters. *Journal of Marine Science and Engineering*, 12 (8), 1277. <https://doi.org/10.3390/jmse12081277>
32. Amoresano, A., Langella, G., Iodice, P., Roscioli, S. (2023). Numerical Analysis of SO₂ Absorption inside a Single Water Drop. *Atmosphere*, 14 (12), 1746. <https://doi.org/10.3390/atmos14121746>
33. Ershov, M. A., Grigorieva, E. V., Abdellatif, T. M. M., Kapustin, V. M., Abdelkareem, M. A., Kamil, M. et al. (2021). Hybrid low-carbon high-octane oxygenated gasoline based on low-octane hydrocarbon fractions. *Science of The Total Environment*, 756, 142715. <https://doi.org/10.1016/j.scitotenv.2020.142715>
34. Petrychenko, O., Levinskyi, M., Prytula, D., Vynohradova, A. (2023). Fuel options for the future: a comparative overview of properties and prospects. *Transport Systems and Technologies*, 41, 96–106. <https://doi.org/10.32703/2617-9059-2023-41-8>
35. Zannis, T. C., Katsanis, J. S., Christopoulos, G. P., Yfantis, E. A., Papagiannakis, R. G., Pariotis, E. G. et al. (2022). Marine Exhaust Gas Treatment Systems for Compliance with the IMO 2020 Global Sulfur Cap and Tier III NO_x Limits: A Review. *Energies*, 15 (10), 3638. <https://doi.org/10.3390/en15103638>
36. Lee, T., Cho, J., Lee, J. (2022). Mixing Properties of Emulsified Fuel Oil from Mixing Marine Bunker-C Fuel Oil and Water. *Journal of Marine Science and Engineering*, 10 (11), 1610. <https://doi.org/10.3390/jmse10111610>
37. Melnyk, O., Onishchenko, O., Onyshchenko, S., Voloshyn, A., Ocheretna, V.; Zaporozhets, A. (Ed.) (2023). Comprehensive Study and Evaluation of Ship Energy Efficiency and Environmental Safety Management Measures. *Systems, Decision and Control in Energy V. Studies in Systems, Decision and Control*. Cham: Springer, 481. https://doi.org/10.1007/978-3-031-35088-7_38
38. Nelyubov, D. V., Fakhrutdinov, M. I., Sarkisyan, A. A., Sharin, E. A., Ershov, M. A., Makhova, U. A. et al. (2023). New Prospects of Waste Involvement in Marine Fuel Oil: Evolution of Composition and Requirements for Fuel with Sulfur Content up to 0.5%. *Journal of Marine Science and Engineering*, 11 (7), 1460. <https://doi.org/10.3390/jmse11071460>
39. Senčić, T., Mrzljak, V., Blecich, P., Bonefačić, I. (2019). 2D CFD Simulation of Water Injection Strategies in a Large Marine Engine. *Journal of Marine Science and Engineering*, 7 (9), 296. <https://doi.org/10.3390/jmse7090296>
40. Pelić, V., Mrakovčić, T., Medica-Viola, V., Valčić, M. (2020). Effect of Early Closing of the Inlet Valve on Fuel Consumption and Temperature in a Medium Speed Marine Diesel Engine Cylinder. *Journal of Marine Science and Engineering*, 8 (10), 747. <https://doi.org/10.3390/jmse8100747>
41. Kuropyatnyk, O. A., Sagin, S. V. (2019). Exhaust Gas Recirculation as a Major Technique Designed to Reduce NO_x Emissions from Marine Diesel Engines. *Naše More*, 66 (1), 1–9. <https://doi.org/10.17818/nm/2019/1.1>
42. Ruban, D., Krainyk, L., Ruban, H., Shevchuk, V., Artyukh, O., Mahats, M. et al. (2025). Estimation of fuel consumption in standard driving cycles and in real bus operation. *Technology Audit and Production Reserves*, 2 (1 (82)), 50–56. <https://doi.org/10.15587/2706-5448.2025.326476>
43. Kučera, O., Pištěk, V., Fomin, O., Kučera, P., Sagin, S. (2025). Measuring Device for More Precise Mistuning Identification of Integrated Bladed Discs. *Symmetry*, 17 (5), 717. <https://doi.org/10.3390/sym17050717>
44. Lamas Galdo, M. I., Castro-Santos, L., Rodriguez Vidal, C. G. (2020). Numerical Analysis of NO_x Reduction Using Ammonia Injection and Comparison with Water Injection. *Journal of Marine Science and Engineering*, 8 (2), 109. <https://doi.org/10.3390/jmse8020109>
45. Drazdauskas, M., Lebedevas, S. (2024). Numerical Study on Optimization of Combustion Cycle Parameters and Exhaust Gas Emissions in Marine Dual-Fuel Engines by Adjusting Ammonia Injection Phases. *Journal of Marine Science and Engineering*, 12 (8), 1340. <https://doi.org/10.3390/jmse12081340>
46. Petrenko, T. (2025). Study of physicochemical and geochemical aspects of enhanced oil recovery and CO₂ storage in oil reservoirs. *Technology Audit and Production Reserves*, 2 (1 (82)), 24–29. <https://doi.org/10.15587/2706-5448.2025.325343>
47. Bian, J., Duan, L., Yang, Y. (2023). Simulation and Economic Investigation of CO₂ Separation from Gas Turbine Exhaust Gas by Molten Carbonate Fuel Cell with Exhaust Gas Recirculation and Selective Exhaust Gas Recirculation. *Energies*, 16 (8), 3511. <https://doi.org/10.3390/en16083511>
48. Sagin, S., Kuropyatnyk, O., Rusnak, D. (2025). Improvement of the process of cleaning exhaust gases of marine diesels from sulfur oxides. *Technology Audit and Production Reserves*, 4 (1 (84)), 72–79. <https://doi.org/10.15587/2706-5448.2025.337616>
49. Sagin, S. V., Solodovnikov, V. G. (2017). Estimation of Operational Properties of Lubricant Coolant Liquids by Optical Methods. *International Journal of Applied Engineering Research*, 12 (19), 8380–8391. Available at: https://www.ripublication.com/ijaer17/ijaerv12n19_51.pdf
50. Sagin, S. V., Semenov, O. V. (2016). Motor Oil Viscosity Stratification in Friction Units of Marine Diesel Motors. *American Journal of Applied Sciences*, 13 (2), 200–208. <https://doi.org/10.3844/ajassp.2016.200.208>
51. Zablotsky, Y. V., Sagin, S. V. (2016). Maintaining Boundary and Hydrodynamic Lubrication Modes in Operating High-pressure Fuel Injection Pumps of Marine Diesel Engines. *Indian Journal of Science and Technology*, 9 (20). <https://doi.org/10.17485/ijst/2016/v9i20/94490>

52. Zablotsky, Y. V., Sagin, S. V. (2016). Enhancing Fuel Efficiency and Environmental Specifications of a Marine Diesel When using Fuel Additives. *Indian Journal of Science and Technology*, 9 (46). <https://doi.org/10.17485/ijst/2016/v9i46/107516>
53. Li, M., Qiu, M., Li, Y., Tang, H., Wu, R., Yu, Z. et al. (2025). Research on Ship Carbon-Emission Monitoring Technology and Suggestions on Low-Carbon Shipping Supervision System. *Atmosphere*, 16 (7), 773. <https://doi.org/10.3390/atmos16070773>
54. Petrychenko, O., Levinskyi, M., Goolak, S., Lukoševičius, V. (2025). Prospects of Solar Energy in the Context of Greening Maritime Transport. *Sustainability*, 17 (5), 2141. <https://doi.org/10.3390/su17052141>
55. Goolak, S., Riabov, I., Petrychenko, O., Kyrychenko, M., Pohosov, O. (2025). The simulation model of an induction motor with consideration of instantaneous magnetic losses in steel. *Advances in Mechanical Engineering*, 17 (2). <https://doi.org/10.1177/16878132251320236>
56. Kyaw Oo D'Amore, G., Biot, M., Mauro, F., Kašpar, J. (2021). Green Shipping-Multifunctional Marine Scrubbers for Emission Control: Silencing Effect. *Applied Sciences*, 11 (19), 9079. <https://doi.org/10.3390/app11199079>
57. Kim, D., Lee, C. (2019). SCR Performance Evaluations in Relation to Experimental Parameters in a Marine Generator Engine. *Journal of Marine Science and Engineering*, 7 (3), 67. <https://doi.org/10.3390/jmse7030067>
58. Kravchenko, O., Symonenko, R., Gerlici, J., Golovan, A., Shymanskyi, S., Gritsuk, I. et al. (2025). Research on the Use of Biogas as an Additive to Compressed Natural Gas for Supplying Vehicle Engines. *Communications – Scientific Letters of the University of Zilina*, 27 (3), 158–169. <https://doi.org/10.26552/com.c.2025.034>
59. Stoliaryk, T. (2022). Analysis of the operation of marine diesel engines when using engine oils with different structural characteristics. *Technology Audit and Production Reserves*, 5 (1 (67)), 22–32. <https://doi.org/10.15587/2706-5448.2022.265868>

DOI: 10.15587/2706-5448.2025.341902

ASSESSMENT OF THE RISK OF POLLUTION OF THE ECOSYSTEM AND AGRICULTURAL PRODUCTS IN THE ZONE OF MILITARY CONFLICT

pages 23–28

Maryna Samilyk, Doctor of Technical Sciences, Professor, Department of Technology and Food Safety, Sumy National Agrarian University, Sumy, Ukraine, e-mail: maryna.samilyk@snau.edu.ua, ORCID: <https://orcid.org/0000-0002-4826-2080>

Tetiana Synenko, PhD, Department of Technology and Food Safety, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0000-0002-5300-5142>

Natalia Bolgova, PhD, Associate Professor, Department of Technology and Food Safety, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0000-0002-0201-0769>

Bohdan Lukhanin, PhD Student, Department of Technology and Food Safety, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0009-0009-6092-4444>

Nataliia Borozenets, PhD, Associate Professor, Department of Higher Mathematics and Physics, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0000-0003-1023-4241>

The object of research is the content of toxic elements in soils, pasture grass and cows' milk in settlements located near the combat zone. However, there is virtually no data on the contamination of territories located near the epicenter of military events. This does not make it possible to assess all potential risks of ecosystem contamination caused by military actions. The samples were collected in the territory of the Mykolaivka village community (Ukraine), which is located within a 50-kilometer zone from the state border with Russia. It was found that with an increase in the intensity of drone attacks (by 40%) and missile attacks (by 25%), an increase in the content of toxic metals Cd, Pb, and Cu in the soil was observed. The concentration of Cd (17.63 ± 0.27 ppm) found in sample S5 is the most threatening, as it is 294 times higher than the WHO recommended permissible level. In the tested soil samples, the maximum permissible concentration of lead is observed to be exceeded by 0.2–1 ppm. In May 2025, its content in the soil sampled in the village of Ulyanivka increased by 2.89 ppm, in the village of Tovsta

by 2.57 ppm. In the pasture grass sample G3, an excess of Cd (0.07 ± 0.04 ppm), Pb (1.59 ± 0.44 ppm), and Zn (15.45 ± 4.74 ppm) was recorded. Cd content in milk in May 2025 ranges from 0.012–0.016 $\pm$ 0.01 ppm, which is 5–6 times higher than the WHO recommended values. Exceedance of the permissible lead level was also recorded in all samples, with the highest proportion ($< 0.23 \pm 0.11$ ppm) in sample M9. The findings highlight the harmful effects of military activities on ecosystems and the safety of agricultural products, even in regions near conflict zones where no active combat is taking place. To address this, ongoing monitoring of soil and vegetation contamination, along with regular assessments of milk quality in these areas, is strongly recommended.

Keywords: heavy metals, soil, milk safety, ecosystem contamination, military influence.

References

1. Fernandez-Lopez, C., Posada-Baquero, R., Ortega-Calvo, J.-J. (2022). Nature-based approaches to reducing the environmental risk of organic contaminants resulting from military activities. *Science of The Total Environment*, 843, 157007. <https://doi.org/10.1016/j.scitotenv.2022.157007>
2. Solokha, M., Demyanyuk, O., Symochko, L., Mazur, S., Vynokurova, N., Sementsova, K., Mariychuk, R. (2024). Soil Degradation and Contamination Due to Armed Conflict in Ukraine. *Land*, 13 (10), 1614. <https://doi.org/10.3390/land13101614>
3. Skalny, A. V., Aschner, M., Bobrovnikitsky, I. P., Chen, P., Tsatsakis, A., Paoliello, M. M. B., Buha Djordjevic, A., Tinkov, A. A. (2021). Environmental and health hazards of military metal pollution. *Environmental Research*, 201, 111568. <https://doi.org/10.1016/j.envres.2021.111568>
4. Shukla, S., Mbingwa, G., Khanna, S., Dalal, J., Sankhyani, D., Malik, A., Badhwar, N. (2023). Environment and health hazards due to military metal pollution: A review. *Environmental Nanotechnology, Monitoring & Management*, 20, 100857. <https://doi.org/10.1016/j.enmm.2023.100857>
5. Altahaan, Z., Dobslaw, D. (2024). The Impact of War on Heavy Metal Concentrations and the Seasonal Variation of Pollutants in Soils of the Conflict Zone and Adjacent Areas in Mosul City. *Environments*, 11 (11), 247. <https://doi.org/10.3390/environments11110247>
6. Bolan, N., Kumar, M., Singh, E., Kumar, A., Singh, L., Kumar, S. et al. (2022). Antimony contamination and its risk management in complex environmental settings: A review. *Environment International*, 158, 106908. <https://doi.org/10.1016/j.envint.2021.106908>
7. Al Lami, M. H., Jawad Al Obaidey, A. H. M., Al Sudani, I. M. (2021). Assessment of ecological pollution of heavy metals in surface soils of different sites within north-west of Iraq. *IOP Conference Series: Earth and Environmental Science*, 779 (1), 012063. <https://doi.org/10.1088/1755-1315/779/1/012063>
8. Wirtu, Y. D., Abdela, U. (2025). Impact of war on the environment: ecocide. *Frontiers in Environmental Science*, 13. <https://doi.org/10.3389/fenvs.2025.1539520>
9. Norouzirad, R., González-Montaña, J.-R., Martínez-Pastor, F., Hosseini, H., Shahrouzian, A., Khabazkhoob, M. et al. (2018). Lead and cadmium levels in raw bovine milk and dietary risk assessment in areas near petroleum extraction industries. *Science of The Total Environment*, 635, 308–314. <https://doi.org/10.1016/j.scitotenv.2018.04.138>
10. Pšenková, M., Toman, R., Tančin, V. (2020). Concentrations of toxic metals and essential elements in raw cow milk from areas with potentially undisturbed and highly disturbed environment in Slovakia. *Environmental Science and Pollution Research*, 27 (21), 26763–26772. <https://doi.org/10.1007/s11356-020-09093-5>
11. Boudebouz, A., Boudalia, S., Bousbia, A., Habila, S., Boussadia, M. I., Gueroui, Y. (2021). Heavy metals levels in raw cow milk and health risk assessment across the globe: A systematic review. *Science of the Total Environment*, 751, 141830. <https://doi.org/10.1016/j.scitotenv.2020.141830>
12. Meng, X., Lu, B., Liu, C., Zhang, Z., Chen, J., Herrmann, H., Li, X. (2023). Abrupt exacerbation in air quality over Europe after the outbreak of Russia-Ukraine war. *Environment International*, 178, 108120. <https://doi.org/10.1016/j.envint.2023.108120>
13. Filho, W. L., Fedoruk, M., Paulino Pires Eustachio, J. H., Splodytel, A., Smaliychuk, A., Szykowska-Jóźwik, M. I. (2024). The environment as the first victim: The impacts of the war on the preservation areas in Ukraine. *Journal of Environmental Management*, 364, 121399. <https://doi.org/10.1016/j.jenvman.2024.121399>
14. Stokral, V., Berezhniak, Y., Naumovska, O., Palamarchuk, S. (2025). The impact of the Russian-Ukrainian war on the soil-surface water interactions. <https://doi.org/10.5194/egusphere-egu24-1115>

15. Datsko, O., Zakharchenko, E., Butenko, Y., Melnyk, O., Kovalenko, I., Onychko, V. et al. (2024). Ecological Assessment of Heavy Metal Content in Ukrainian Soils. *Journal of Ecological Engineering*, 25 (11), 100–108. <https://doi.org/10.12911/22998993/192669>
16. Samilyk, M., Synenko, T. (2025). Assessment of the impact of military actions on the safety of soil and agricultural products. *EUREKA: Life Sciences*, 2, 60–67. <https://doi.org/10.21303/2504-5695.2025.003879>
17. Li, Q., Wang, Y., Li, Y., Li, L., Tang, M., Hu, W. et al. (2022). Speciation of heavy metals in soils and their immobilization at micro-scale interfaces among diverse soil components. *Science of The Total Environment*, 825, 153862. <https://doi.org/10.1016/j.scitotenv.2022.153862>
18. Adamczyk-Szabela, D., Wolf, W. M. (2022). The Impact of Soil pH on Heavy Metals Uptake and Photosynthesis Efficiency in *Melissa officinalis*, *Taraxacum officinalis*, *Ocimum basilicum*. *Molecules*, 27 (15), 4671. <https://doi.org/10.3390/molecules27154671>

FOOD PRODUCTION TECHNOLOGY

DOI: 10.15587/2706-5448.2025.341092

ASSESSMENT OF THE CONTENT OF FLAVONOIDS IN GREEN BUCKWHEAT FLOUR

pages 29–34

Olha Sereda, PhD, Senior Lecturer, Department of Food Technology, Sumy National Agrarian University, Sumy, Ukraine, e-mail: seaol@ukr.net, ORCID: <https://orcid.org/0000-0002-2614-725X>

Yevheniia Demydova, PhD, Associate Professor, Department of Food Technology and Safety, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0000-0002-7933-4251>

Olena Koshel, PhD, Associate Professor, Department of Food Technology, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0000-0002-2184-2106>

Valeriia Ponomarenko, PhD Student, Department of Food Technology, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0009-0003-0132-1316>

Oleksandr Voronin, PhD Student, Department of Food Technology, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0009-0002-8254-4775>

Inha Kuznietsova, Doctor of Agricultural Sciences, Department of Sugar, Sugar-Containing Products and Ingredients Technology, Institute of Food Resources of the National Academy of Sciences of Ukraine, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0001-8530-2099>

Liudmyla Zaichuk, Chief Specialist, Department of Sugar Technology, Sugar-Containing Products and Ingredients, Institute of Food Resources of the National Academy of Sciences of Ukraine, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0001-9526-0275>

The object of research is green buckwheat flour (GBF) from various brands, including Ecorod, Ecoorganic, Ms. Tally, Ecosmak, and Ahimsa, which is considered a promising raw material for functional food production. One of the main challenges in studying GBF is the insufficient amount of data on the quantitative content of individual flavonoid compounds, particularly quercetin and rutin, as well as the lack of systematic comparison of these indicators between different manufacturers. This limits the possibilities for the targeted use of GBF as a source of biologically active substances for the development of products with enhanced antioxidant activity.

The study applied absorption spectrophotometry based on the formation of chelate complexes with aluminum chloride (AlCl₃), which allowed the determination of total flavonoid content and subsequent calculation of quercetin and rutin equivalents. This approach enables a quantitative assessment of the bioactive potential of the raw materials under study and reveals variability depending on the brand.

The obtained results indicate a significant concentration of flavonoids in GBF: quercetin content ranged from 0.8 to 2.6 mg/100 g dry matter (DM), and rutin content ranged from 1.62 to 5.25 mg/100 g DM. This can be explained by the fact that green buckwheat, unlike heat-treated grain, preserves natural enzyme activity and its phytochemical complex, with flavonoids playing a leading role.

The applied approach provides a more reasonable evaluation of the functional value of green buckwheat grain and flour, which is of direct practical importance for the food industry. The results confirm the potential of GBF as a gluten-free ingredient for functional food products aimed at reducing oxidative stress and preventing chronic non-communicable diseases.

Keywords: green buckwheat, green buckwheat flour, flavonoids, rutin, quercetin, functional nutrition.

References

1. Tungmunnithum, D., Thongboonyou, A., Pholboon, A., Yangsabai, A. (2018). Flavonoids and Other Phenolic Compounds from Medicinal Plants for Pharmaceutical and Medical Aspects: An Overview. *Medicines*, 5 (3), 93. <https://doi.org/10.3390/medicines5030093>
2. Kuljarusnont, S., Iwakami, S., Iwashina, T., Tungmunnithum, D. (2024). Flavonoids and Other Phenolic Compounds for Physiological Roles, Plant Species Delimitation, and Medical Benefits: A Promising View. *Molecules*, 29 (22), 5351. <https://doi.org/10.3390/molecules29225351>
3. Rice-Evans, C. A., Miller, N. J., Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*, 20 (7), 933–956. [https://doi.org/10.1016/0891-5849\(95\)00227-9](https://doi.org/10.1016/0891-5849(95)00227-9)
4. Kumar, S., Pandey, A. K. (2013). Chemistry and Biological Activities of Flavonoids: An Overview. *The Scientific World Journal*, 2013 (1). <https://doi.org/10.1155/2013/162750>
5. Kim, Y. W., Kang, H. E., Lee, M. G., Hwang, S. J., Kim, S. C., Lee, C. H. et al. (2009). Liquiritigenin, a flavonoid aglycone from licorice, has a choleretic effect and the ability to induce hepatic transporters and phase-II enzymes. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 296 (2), 372–381. <https://doi.org/10.1152/ajpgi.90524.2008>
6. Sebastian, R. S., Goldman, J. D., Moshfegh, A. J. (2023). Dietary intake and sources of flavonoids by adults in the U.S. What We Eat in America, NHANES 2017–2018. *Food Surveys Research Group Dietary Data Brief*, 49. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK603802>
7. Schoenlechner, R., Bender, D. (2020). Pseudocereals for global food production. *Cereal Foods World*, 65 (2). <https://doi.org/10.1094/CFW-65-2-0014>
8. Skřivan, P., Chrpová, D., Klitschová, B., Švec, I., Sluková, M. (2023). Buckwheat Flour (*Fagopyrum esculentum* Moench) – A Contemporary View on the Problems of Its Production for Human Nutrition. *Foods*, 12 (16), 3055. <https://doi.org/10.3390/foods12163055>
9. Dębski, H., Wiczowski, W., Szawara-Nowak, D., Horbowicz, M. (2021). Elicitation with Sodium Silicate and Iron Chelate Affects the Contents of Phenolic Compounds and Minerals in Buckwheat Sprouts. *Polish Journal of Food and Nutrition Sciences*, 71 (1), 21–28. <https://doi.org/10.31883/pjfn/131061>
10. Jha, R., Zhang, K., He, Y., Mender-Drienyovszki, N., Magyar-Tábori, K., Quinet, M. et al. (2024). Global nutritional challenges and opportunities: Buckwheat, a potential bridge between nutrient deficiency and food security. *Trends in Food Science & Technology*, 145, 104365. <https://doi.org/10.1016/j.tifs.2024.104365>
11. Kreft, I., Germ, M., Golob, A., Vombergar, B., Bonafaccia, F., Luthar, Z. (2022). Impact of Rutin and Other Phenolic Substances on the Digestibility of Buckwheat Grain Metabolites. *International Journal of Molecular Sciences*, 23 (7), 3923. <https://doi.org/10.3390/ijms23073923>
12. Mirza, M. A., Mahmood, S., Hilles, A. R., Ali, A., Khan, M. Z., Zaidi, S. A. A. et al. (2023). Quercetin as a therapeutic product: Evaluation of its pharmacological action and clinical applications – a review. *Pharmaceutics*, 16 (11), 1631. <https://doi.org/10.3390/ph16111631>
13. Semwal, R., Joshi, S. K., Semwal, R. B., Semwal, D. K. (2021). Health benefits and limitations of rutin – a natural flavonoid with high nutraceutical value. *Phytochemistry Letters*, 46, 119–128. <https://doi.org/10.1016/j.phytol.2021.10.006>

14. Yang, H., Wang, C., Zhang, L., Lv, J., Ni, H. (2019). Rutin alleviates hypoxia/reoxygenation-induced injury in myocardial cells by up-regulating SIRT1 expression. *Chemico-Biological Interactions*, 297, 44–49. <https://doi.org/10.1016/j.cbi.2018.10.016>
15. Ganeshpurkar, A., Saluja, A. K. (2017). The Pharmacological Potential of Rutin. *Saudi Pharmaceutical Journal*, 25 (2), 149–164. <https://doi.org/10.1016/j.sjps.2016.04.025>
16. Patel, K., Patel, D. K. (2019). The beneficial role of rutin, a naturally occurring flavonoid in health promotion and disease prevention: A systematic review and update. *Bioactive Food as Dietary Interventions for Arthritis and Related Inflammatory Diseases*, 457–479. <https://doi.org/10.1016/b978-0-12-813820-5.00026-x>
17. Singh, S., Singh, D. K., Meena, A., Dubey, V., Masood, N., Luqman, S. (2019). Rutin protects t-butyl hydroperoxide-induced oxidative impairment via modulating the Nrf2 and iNOS activity. *Phytomedicine*, 55, 92–104. <https://doi.org/10.1016/j.phymed.2018.07.009>
18. Pedriali, C. A., Fernandes, A. U., Bernusso, L. de C., Polakiewicz, B. (2008). The synthesis of a water-soluble derivative of rutin as an antiradical agent. *Química Nova*, 31 (8), 2147–2151. <https://doi.org/10.1590/s0100-40422008000800039>
19. Giménez-Bastida, J. A., Zieliński, H. (2015). Buckwheat as a Functional Food and Its Effects on Health. *Journal of Agricultural and Food Chemistry*, 63 (36), 7896–7913. <https://doi.org/10.1021/acs.jafc.5b02498>
20. Pivec, T., Kargl, R., Maver, U., Bračić, M., Elschner, T., Žagar, E., Gradišnik, L., Stana Kleinschek, K. (2019). Chemical Structure–Antioxidant Activity Relationship of Water–Based Enzymatic Polymerized Rutin and Its Wound Healing Potential. *Polymers*, 11 (10), 1566. <https://doi.org/10.3390/polym11101566>
21. Ge, X., Jing, L., Zhao, K., Su, C., Zhang, B., Zhang, Q., Han, L., Yu, X., Li, W. (2021). The phenolic compounds profile, quantitative analysis and antioxidant activity of four naked barley grains with different color. *Food Chemistry*, 335, 127655. <https://doi.org/10.1016/j.foodchem.2020.127655>
22. Kreft, I., Germ, M., Golob, A., Vombergar, B., Bonafaccia, F., Luthar, Z. (2022). Impact of Rutin and Other Phenolic Substances on the Digestibility of Buckwheat Grain Metabolites. *International Journal of Molecular Sciences*, 23 (7), 3923. <https://doi.org/10.3390/ijms23073923>
23. Luthar, Z., Germ, M., Likar, M., Golob, A., Vogel-Mikuš, K., Pongrac, P., Kušar, A., Pravst, I., Kreft, I. (2020). Breeding Buckwheat for Increased Levels of Rutin, Quercetin and Other Bioactive Compounds with Potential Antiviral Effects. *Plants*, 9 (12), 1638. <https://doi.org/10.3390/plants9121638>
24. Kreft, I., Golob, A., Vombergar, B., Germ, M. (2023). Tartary Buckwheat Grain as a Source of Bioactive Compounds in Husked Groats. *Plants*, 12 (5), 1122. <https://doi.org/10.3390/plants12051122>
25. Li, D., Li, X., Ding, X., Park, K.-H. (2008). A process for preventing enzymatic degradation of rutin in Tartary buckwheat (*Fagopyrum tataricum* Gaertn) flour. *Food Science and Biotechnology*, 17, 118–122. Available at: https://www.researchgate.net/publication/282054353_A_process_for_preventing_enzymatic_degradation_of_rutin_in_tartary_buckwheat_Fagopyrum_tataricum_Gaertn_flour
26. Jiang, P., Burczynski, F., Campbell, C., Pierce, G., Austria, J. A., Briggs, C. J. (2007). Rutin and flavonoid contents in three buckwheat species *Fagopyrum esculentum*, *F. tataricum*, and *F. homotropicum* and their protective effects against lipid peroxidation. *Food Research International*, 40 (3), 356–364. <https://doi.org/10.1016/j.foodres.2006.10.009>
27. Ma, H., Bian, Z., Wang, S. (2020). Effects of Different Treatments on the Germination, Enzyme Activity, and Nutrient Content of Buckwheat. *Food Science and Technology Research*, 26 (3), 319–328. <https://doi.org/10.3136/fstr.26.319>
28. Živković, A., Polak, T., Cigić, B., Požrl, T. (2021). Germinated Buckwheat: Effects of Dehulling on Phenolics Profile and Antioxidant Activity of Buckwheat Seeds. *Foods*, 10 (4), 740. <https://doi.org/10.3390/foods10040740>
29. Gao, Y., Xia, W., Shao, P., Wu, W., Chen, H., Fang, X. et al. (2022). Impact of thermal processing on dietary flavonoids. *Current Opinion in Food Science*, 48, 100915. <https://doi.org/10.1016/j.cofs.2022.100915>
30. Lesjak, M., Beara, I., Simin, N., Pintić, D., Majkić, T., Bekvalac, K. et al. (2018). Antioxidant and anti-inflammatory activities of quercetin and its derivatives. *Journal of Functional Foods*, 40, 68–75. <https://doi.org/10.1016/j.jff.2017.10.047>
31. Boots, A. W., Haenen, G. R. M. M., Bast, A. (2008). Health effects of quercetin: From antioxidant to nutraceutical. *European Journal of Pharmacology*, 585 (2–3), 325–337. <https://doi.org/10.1016/j.ejphar.2008.03.008>

DOI: 10.15587/2706-5448.2025.340896

OPTIMIZATION OF FORCES IN CUTTING POULTRY CARCASSES WITH DISC KNIVES

pages 35–41

Larysa Bal-Prylypko, Doctor of Technical Sciences, Professor, Department of Technology of Meat, Fish and Seafood Products, National University of Life and Environmental Sciences of Ukraine, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0002-9489-8610>

Valentyna Bandura, Doctor of Technical Sciences, Professor, Department of Processes and Equipment for Processing of Agricultural Products, National University of Life and Environmental Sciences of Ukraine, Kyiv, Ukraine, e-mail: vbandura@nubip.edu.ua, ORCID: <https://orcid.org/0000-0001-8074-3020>

Marina Serdyuk, Doctor of Technical Sciences, Professor, Department of Standardization and Certification of Agricultural Products, National University of Life and Environmental Sciences of Ukraine, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0002-6504-4093>

Halyna Shlapak, PhD, Associate Professor, Department of Meat, Fish and Seafood Technology, Odesa National Technological University, Odesa, Ukraine, ORCID: <https://orcid.org/0000-0003-3382-3743>

Nadia Novgorodska, PhD, Associate Professor, Department of Bioengineering, Bio- and Food Technologies, Vinnytsia National Agrarian University, Vinnytsia, Ukraine, ORCID: <https://orcid.org/0000-0002-7497-0435>

Nadiia Zahorko, PhD, Associate Professor, Department of Food Technology and Hotel and Restaurant Business, Dmytro Motornyi Tavria State Agrotechnological University, Zaporizhzhia, Ukraine, ORCID: <https://orcid.org/0000-0003-4828-5343>

Iryna Basarab, PhD, Associate Professor, Department of Meat, Meat and Fat Products Technology, Stepan Gzhyskyi National University of Veterinary Medicine and Biotechnologies of Lviv, Ukraine, ORCID: <https://orcid.org/0000-0002-5487-2790>

The object of research was the process of cutting poultry carcasses of chickens, ducks, and geese using disc knives. In the food industry, when processing poultry, and especially when disassembling it, which divides the carcasses into certain parts and sizes, carcass cutting operations are widely used. This process significantly affects the level of energy consumption of the entire production and the quality of the finished product. The main working parts of cutting machines are knives, the purpose of which depends on the entire technological process of chopping.

The dependence of the cutting forces of meat with bones of chickens, ducks and geese on the rotation speed of the disk knife and its sharpening angle at different product temperatures was experimentally established. It was established that with an increase in the cutting speed, the cutting force decreases. Approximate relationships were obtained for quantitative description of the influence of cutting speed on cutting force for different types of poultry, which allow to predict the energy consumption of the process. For producers, the range of cutting speed of poultry carcasses by the disk cutting body of the machine can be recommended from 6.5 to 9 m/s. The influence of the blade sharpening angle on the energy intensity of grinding poultry carcasses was studied; a rational range of sharpening angle was determined, at which cutting forces are minimized while maintaining the stability of the tool. Taking into account the structural and mechanical characteristics of poultry carcasses, operational indicators and technological requirements for the quality and cleanliness of the cut surface, the range of sharpening angle of the knife cutting edge is 20–26°. An applied aspect of using the obtained result is the possibility of improving the design parameters of disk knives and will ensure increased equipment productivity and cutting quality. However, the cutting force depends not only on the species and fatness, but also on the age, sex of the bird and the location of the muscles.

Keywords: cutting force, poultry carcasses, blade sharpening angle, disc knife, disc rotation speed.

References

- Burdo, O. G., Bandura, V. N., Levtrinskaya, Y. O. (2018). Electrotechnologies of Targeted Energy Delivery in the Processing of Food Raw Materials. *Surface Engineering and Applied Electrochemistry*, 54 (2), 210–218. <https://doi.org/10.3103/s1068375518020047>
- Nikolaenko, M., Bal-Prylypko, L. (2020). Development of an integrated food quality management system. *Potravinarstvo Slovak Journal of Food Sciences*, 14, 862–873. <https://doi.org/10.5219/1434>
- Bal-Prylypko, L., Kanishchev, O., Mushtruk, M., Leonova, B. (2024). Development of technology for extended-shelf-life meat products. *Animal Science and Food Technology*, 15 (4), 132–149. <https://doi.org/10.31548/animal.4.2024.132>
- Biazik, E., Kralik, Z., Kosevic, M. (2022). Antioxidants in poultry meat products: quality, safety and health aspects. *Żywność. Nauka. Technologia. Jakość*, 29 (3), 17–31. <https://doi.org/10.15193/zntj/2022/132/420>
- Franczyk-Żarów, M., Koronowicz, A., Szymczyk, B., Bieżanowska-Kopeć, R., Leszczyńska, T. (2017). Effect of dietary conjugated linoleic acid (CLA) and thermal processing on fatty acid composition of enriched chicken meat. *Journal of Animal and Feed Sciences*, 26 (3), 236–246. <https://doi.org/10.22358/jafs/76184/2017>
- Baéza, E., Guillier, L., Petracchi, M. (2022). Review: Production factors affecting poultry carcass and meat quality attributes. *Animal*, 16, 100331. <https://doi.org/10.1016/j.animal.2021.100331>
- Lynch, S. A., Mullen, A. M., O'Neill, E., Drummond, L., Álvarez, C. (2018). Opportunities and perspectives for utilisation of co-products in the meat industry. *Meat Science*, 144, 62–73. <https://doi.org/10.1016/j.meatsci.2018.06.019>
- Bekeshova, G., Ibragimov, N., Kakimov, A., Suychinov, A., Yessimbekov, Z., Kabyldzhar, B. et al. (2022). Effect of Rotational Speed and Gap between Rotating Knives of the Grinder on the Yield Stress and Water-Binding Capacity of Fine Ground Chicken Bone. *Applied Sciences*, 12 (7), 3533. <https://doi.org/10.3390/app12073533>
- Bal-Prylypko, L., Yancheva, M., Paska, M., Ryabovol, M., Nikolaenko, M., Israeli, V. et al. (2022). The study of the intensification of technological parameters of the sausage production process. *Potravinarstvo Slovak Journal of Food Sciences*, 16, 27–41. <https://doi.org/10.5219/1712>
- Schuldt, S., Schneider, Y., Rohm, H. (2018). High-speed cutting of foods: Cutting behavior and initial cutting forces. *Journal of Food Engineering*, 230, 55–62. <https://doi.org/10.1016/j.jfoodeng.2018.02.024>
- Berger, L. M., Witte, F., Tomasevic, I., Heinz, V., Weiss, J., Gibis, M. et al. (2023). A review on the relation between grinding process and quality of ground meat. *Meat Science*, 205, 109320. <https://doi.org/10.1016/j.meatsci.2023.109320>
- Marsot, J., Claudon, L., Jacqmin, M. (2007). Assessment of knife sharpness by means of a cutting force measuring system. *Applied Ergonomics*, 38 (1), 83–89. <https://doi.org/10.1016/j.apergo.2005.12.007>
- Zieliński, B., Chaciński, T., Pimenov, D. Y., Nadolny, K. (2021). Methodology for Evaluating the Cutting Force of Planar Technical Blades Used in Flatfish Processing. *Micromachines*, 12 (12), 1516. <https://doi.org/10.3390/mi12121516>
- Bakiyeva, A., Yerengaliyev, A., Kakimov, A., Zhumadilova, G., Abdilova, G., Serikov, E. et al. (2024). Development of the Design of Plate with Variable Diameters of Holes and Its Impact on Meat-Grinding Quality and Efficiency. *Processes*, 12 (9), 1808. <https://doi.org/10.3390/pr12091808>
- Holl, H. J., Meindlumer, M., Simader, V., Schnürer, D., Brandl, A. (2018). Experimental investigation of friction reduction. *Materials Today: Proceedings*, 5 (13), 26615–26621. <https://doi.org/10.1016/j.matpr.2018.08.125>
- Klymenko, M. M., Vinnikova, L. H., Bereza, I. H., Honcharov, H. I., Pasichnyi, V. M., Bal-Prylypko, L. V. et al.; Klymenko, M. M. (Ed.) (2006). *Tekhnolohiia miasa ta miasnykh produktiv*. Kyiv: Vyscha osvita, 640. Available at: <https://dspace.nuft.edu.ua/items/f42e6d50-6780-40c0-93a5-7de7f9d24981>
- McGorry, R. W., Dowd, P. C., Dempsey, P. G. (2003). Cutting moments and grip forces in meat cutting operations and the effect of knife sharpness. *Applied Ergonomics*, 34 (4), 375–382. [https://doi.org/10.1016/s0003-6870\(03\)00041-3](https://doi.org/10.1016/s0003-6870(03)00041-3)

DOI: 10.15587/2706-5448.2025.341492

IDENTIFICATION OF PATTERNS IN SUGAR BEET STORAGE CONDITIONS DEPENDING ON ENZYMATIC ACTIVITY

pages 42–48

Ahad Nabiye, Doctor of Biological Sciences, Professor, Department of Food Engineering and Expertise, Azerbaijan Technological University, Ganja, Azerbaijan, ORCID: <https://orcid.org/0000-0001-9171-1104>

Afet Gasimova, Doctor of Philosophy in Technics, Associate Professor, Department of Food Engineering and Expertise, Azerbaijan Technological University, Ganja, Azerbaijan, e-mail: a.gasimova@atu.edu.az, ORCID: <https://orcid.org/0000-0002-9814-4488>

Ilhama Kazimova, Doctor of Philosophy in Technics, Associate Professor, Department of Engineering and Applied Sciences, Azerbaijan State University of Economics, Baku, Azerbaijan, ORCID: <https://orcid.org/0000-0003-3857-9575>

Sevinj Maharramova, Doctor of Philosophy in Biology, Associate Professor, Department of Engineering and Applied Sciences, Azerbaijan State University of Economics, Baku, Azerbaijan, ORCID: <https://orcid.org/0000-0002-1599-7013>

Gunash Nasrullayeva, Doctor of Philosophy in Economics, Associate Professor, Department of Engineering and Applied Sciences, Azerbaijan State University of Economics, Baku, Azerbaijan, ORCID: <https://orcid.org/0000-0003-2661-8354>

Mehriban Yusifova, Doctor of Philosophy in Biology, Associate Professor, Department of Engineering and Applied Sciences, Azerbaijan State University of Economics, Baku, Azerbaijan, ORCID: <https://orcid.org/0000-0001-7608-5950>

The object of the research is the storage conditions of sugar beets (*Beta vulgaris*). One of the most challenging areas is the reduction in sucrose content during storage under normal conditions prior to processing. The study focused on storing sugar beets in a refrigerated chamber to preserve the quality of the raw material, slow down respiration processes, minimize sugar loss, and extend shelf life. This allows for the use of sugar beets not only during the mass harvest but also over a long period, ensuring a uniform plant load and creating a reserve of environmentally friendly and technologically suitable raw materials for the stable operation of sugar production during the off-season.

The study utilized various methods of storing sugar beets in a refrigerated chamber, including storage at temperatures of +2 to +3°C and at a relative humidity of 85–95%. The study also employed the same storage conditions but with the use of sulfur dioxide. It was found that when stored in a refrigerated chamber with sulfur dioxide fumigation every ten days, sucrose content decreased by 2.6%. After 90 days, a decrease of 5.9% and 3.3%, respectively, was recorded, and on the last day of storage, i. e., after 120 days, a decrease of 7.2% and 3.9% was recorded. This is due to the fact that the use of sulfur dioxide inhibits the activity of oxidoreductases and hydrolases, which reduces the consumption of sucrose and other nutrients in the respiration process. This increases the shelf life of sugar beets and allows them to be used not only during the mass harvest but also over a long period, ensuring a uniform plant load. Under these conditions, the content of sucrose and other nutrients decreases slightly, and the yield of granulated sugar increases. Compared to similar known sugar beet storage methods, this method provides a supply of environmentally friendly and technologically suitable raw materials for the stable operation of sugar production during the off-season.

Keywords: sugar beet, storage, sulfur dioxide, enzymes, oxidoreductases, hydrolases, quality indicators.

References

- Odhaib, I. H. (2025). The Producer's Responsibility for Genetically Modified Foods: a Comparative Study. *Journal of Lifestyle and SDGs Review*, 5 (1), e04572. <https://doi.org/10.47172/2965-730x.sdgsreviewv5.n01.pe04572>
- McGrath, J. M., Fugate, K. K., Preedy, V. R. (2012). Analysis of Sucrose from Sugar Beet. *Dietary Sugars: Chemistry, Analysis, Function and Effects*. RSC Publishing, 526–545. <https://doi.org/10.1039/9781849734929-00526>
- Bohigas, L. (2025). Sugar and slavery. *Revista Econòmica de Catalunya*, 91. Available at: https://www.researchgate.net/publication/393007066_Sugar_and_Slavery
- Kandel, S. L., Eide, J. D., Firrincieli, A., Finger, F. L., Lafta, A. M., Fugate, K. K. (2024). Sugar beet root susceptibility to storage rots and downregulation of plant defense genes increases with time in storage. *Scientific Reports*, 14 (1). <https://doi.org/10.1038/s41598-024-78323-4>

5. Hlevaskiy, V., Sydorova, I., Kuyanov, V. (2023). Accounting of physical qualities of root crops during sugar beet reception and storage. *Agrobiologiya*, 2 (183), 137–145. <https://doi.org/10.33245/2310-9270-2023-183-2-137-145>
6. Blaszczyk, I., Molska, M., Bąk, P., Wojtczak, M. (2017). Microbiological stability of sugar beets during their storage. *International Sugar Journal*, 119. Available at: https://www.researchgate.net/publication/328393746_Microbiological_stability_of_sugar_beets_during_their_storage
7. Kazimova, I., Mikayilov, V., Omarova, E., Gasimova, A., Nabiyeu, A. (2025). Establishment of regularities of biochemical transformations in grape berries during refrigerated storage with preliminary thermal treatment. *Technology Audit and Production Reserves*, 1 (3 (81)), 31–38. <https://doi.org/10.15587/2706-5448.2025.323631>
8. Kulnabay, K., Aknullayeva, A., Rinar, A., Abilmazhin, M., Sarsembaev, K. (2021). Development of proposals for creating a biological product to increase the shelf life of sugar beet seed material. *Izdenister Natigeler*, 2 (90), 161–169. <https://doi.org/10.37884/2-2021/16>
9. Fataliyev, H., Aghazade, Y., Mikayilov, V., Heydarov, E., Gadimova, N., Imanova, K. et al. (2025). Identifying the influence of various factors on the composition of juices and wines obtained from the autonomous Bayan Shirey grape variety. *Eastern-European Journal of Enterprise Technologies*, 3 (11 (135)), 89–102. <https://doi.org/10.15587/1729-4061.2025.332592>
10. Moslemzadeh, E. Ə., Qasimova, A. A., Nəbiyev, Ə. Ə., Tağıyev, M. M. (2007). Şəkər çuğundurunun emala qədər saxlanmasıda invertaza və pektinesteraza fermentlərinin tədqiqi. *AMEA Xəbərləri, Biologiya Elmləri*, 5–6, 170–180.
11. Trnka, J., Kumbár, V., Nedomová, Š., Pytel, R., Buchar, J. (2018). Influence of sugar beet storage duration on root response to non-destructive impacts. *International Agrophysics*, 32 (3), 421–428. <https://doi.org/10.1515/intag-2017-0032>
12. English, W. (2023). *Long-term post-harvest field storage of sugar beet (Beta vulgaris subsp. vulgaris)*. [Doctoral Thesis; Swedish University of agricultural sciences]. <https://doi.org/10.54612/a.66e26trq96>
13. Klotz, K. L., Finger, F. L. (2001). Activity and Stability of a Soluble Acid Invertase from Sugarbeet Roots. *Journal of Sugarbeet Research*, 38 (2), 121–138. <https://doi.org/10.5274/jsbr.38.2.121>
14. Voragen, A. G. J., Oosterveld, A., Schols, H. A., Beldman, G. (1997). Pectic substances from sugar beet pulp: Extraction and fractionation, structural features, functional properties and enzymic modification. *IVth Workshop on Carbohydrates as Raw Material*. Vienne, 29.
15. Bian, C., Ji, L., Xu, W., Dong, S., Pan, N. (2024). Research Progress on Bioactive Substances of Beets and Their Functions. *Molecules*, 29 (19), 4756. <https://doi.org/10.3390/molecules29194756>
16. Hutnan, M., Dřtil, M., Mraňkova, L. (2000). Anaerobic biodegradation of sugar beet pulp. *Biodegradation*, 11 (4), 203–211. <https://doi.org/10.1023/a:1011139621329>
17. Orazizadeh, M. R., Hosseinpour, M., Fasahat, P. (2020). The effect of crop rotation on performance and qualitative characteristics of sugar beet. *Notulae Scientiae Biologicae*, 12 (3), 711–718. <https://doi.org/10.15835/nsb12310755>
18. Lysakov, A. A., Lubentsova, E. V., Apodgorniy, S., Ozhogova, E. V. (2021). Magnetic Treatment of Sugar Beet to Reduce Weight Loss during Storage. *IOP Conference Series: Earth and Environmental Science*, 852 (1), 012064. <https://doi.org/10.1088/1755-1315/852/1/012064>
19. Vosper, F. C., Backer, L. F., Schuler, R. T. (1983). Ventilation and freezing of stored sugar beets. *Transactions of the ASAE*, 26 (1), 0301–0304. <https://doi.org/10.13031/2013.33925>
20. Hamze, H., Mohammadian, R., Mansuri, H. (2025). Evaluation of yield potential and phenotypic and genetic relationships of traits affecting white sugar yield in new foreign genotypes of sugar beet. *Iranian Journal of Field Crop Science*, 56 (2), 105–120. <https://doi.org/10.22059/ijfcs.2024.383180.655104>
21. Myers, P., Flamini, R., Traldi, P. (Eds.) (2011). Mass Spectrometry in Grape and Wine Chemistry. *Chromatographia*, 73 (11–12), 1241–1241. <https://doi.org/10.1007/s10337-011-1987-5>
22. ISO 5350-2:2006 – Pulps: Estimation of dirt and shives – Part 2: Inspection of mill sheeted pulp by transmitted light (2006). *International Organization for Standardization*. Available at: <https://www.iso.org/obp/ui/#iso:std:iso:5350-2:ed-3:v1:en>
23. ISO 22000:2005 – Food safety management systems: Requirements for any organization in the food chain (2005). *International Organization for Standardization*. Available at: <https://www.iso.org/obp/ui/#iso:std:iso:22000:ed-1:v1:en>

DOI: 10.15587/2706-5448.2025.341512

DETERMINING THE INFLUENCE OF PHYTOEXTRACTS ON THE QUALITY FORMATION OF BAKERY PRODUCTS

pages 49–59

Oksana Melnyk, PhD, Associate Professor, Department of Technology of Nutrition, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0000-0002-9201-7955>, e-mail: oksana.melnyk@snau.edu.ua

Oleksandr Matisov, PhD Student, Department of Technology of Nutrition, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0009-0003-7487-662X>

Andriy Foshchan, Doctor of Technical Sciences, Professor, Department of Food Technologies in Restaurant Industry, State Biotechnological University, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-4989-010X>

Larysa Sharan, PhD, Associate Professor, Department of Hotel and Restaurant Business, National University of Food Technologies, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0001-6404-0907>

Svitlana Omelchenko, PhD, Associate Professor, Department of Food Technology in the Restaurant Industry, State Biotechnological University, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0003-3635-6626>

Aliona Dikhtyar, PhD, Associate Professor, Department of Food Technology in the Restaurant Industry, State Biotechnological University, Kharkiv, Ukraine, ORCID: <https://orcid.org/0000-0002-5430-147X>

Vitaliy Shutyuk, Doctor of Technical Sciences, Associate Professor, Department of Canning Technology, National University of Food Technologies, Kyiv, Ukraine, ORCID: <https://orcid.org/0000-0002-6480-5890>

Tatyana Marenkova, Senior Lecturer, Department of Technology of Nutrition, Sumy National Agrarian University, Sumy, Ukraine, ORCID: <https://orcid.org/0000-0001-7481-0848>

Larysa Chepurda, Doctor of Economic Sciences, Professor, Department of Tourism and Hotel and Restaurant Business, Cherkasy State Technological University, Cherkasy, Ukraine, ORCID: <https://orcid.org/0000-0002-8941-9427>

Oleksandr Kurakin, PhD, Senior Lecturer, Department of Tourism and Hotel and Restaurant Business, Cherkasy State Technological University, Cherkasy, Ukraine, ORCID: <https://orcid.org/0000-0002-9392-7854>

The object of the study is the technology of bakery products using *Clitoria ternatea* extracts and establishing their impact on the consumer characteristics of buns. The paper considers the possibility of using environmentally safe plant raw materials in the production of food products.

One of the problem areas in the use of the extract is the sensitivity of *Clitoria ternatea* anthocyanins to technological influences (temperature, acidity), color instability, specific organoleptic indicators of finished products and the impact on the physicochemical quality indicators of the semi-finished product and the finished product.

During the study, *Clitoria ternatea* and *Malva mauritiana* extracts were used. It was found that the extract from *Clitoria ternatea* has a significantly higher content of coloring substances at all levels of the hydromodule (0.5:50; 1.5:50; 2.5:50), which reflects a higher concentration of pigments in the raw material or their higher solubility, therefore *Clitoria ternatea* extracts were chosen. Increasing the concentration of flowers in the extract contributed to an increase in the content of polyphenols, flavonoids, a decrease in the acidity of the extracts, the density of the solutions almost did not change. Replacing water with *Clitoria ternatea* extract in the technology of bakery products contributed to a change in the physicochemical parameters of the dough and the finished product. The acidity of the dough and the finished product increased, the humidity decreased, the porosity of the finished product decreased.

As a result of the study, a technology of bakery products was developed using an aqueous extract of *Clitoria ternatea* flowers (hydromodulus 3.0:100), which provides a balance between technological and organoleptic properties. The samples had an exotic blue color, demonstrated better microbiological stability compared to the control, and the study of friability confirmed a positive effect on the preservation of crumb freshness compared to the control for 72 hours.

Keywords: food colorants, phenolic compounds, anthocyanins, *Clitoria ternatea*, extraction, antioxidant activity.

References

- Lebedenko, T. E., Novichkova, T. P., Sokolova, N. Iu., Miserzhi, M. D. (2011). Novye istochniki biologicheski aktivnykh komponentov dlia proizvodstva khleba. *Zernovi produkty i kombikormy*, 3 (43), 23–28.
- Mohamad, M. F., Dailin, D. J., Gomaa, S., Nurjayadi, M., El Enshasy, H. (2019). Natural colorant for food: A healthy alternative. *International Journal of Scientific & Technology Research*, 8 (11), 3161–3166. Available at: <https://www.ijstr.org/final-print/nov2019/Natural-Colorant-For-Food-A-Healthy-Alternative.pdf>
- Vega, E. N., Ciudad-Mulero, M., Fernández-Ruiz, V., Barros, L., Morales, P. (2023). Natural Sources of Food Colorants as Potential Substitutes for Artificial Additives. *Foods*, 12 (22), 4102. <https://doi.org/10.3390/foods12224102>
- Fu, X., Wu, Q., Wang, J., Chen, Y., Zhu, G., Zhu, Z. (2021). Spectral Characteristic, Storage Stability and Antioxidant Properties of Anthocyanin Extracts from Flowers of Butterfly Pea (*Clitoria ternatea* L.). *Molecules*, 26 (22), 7000. <https://doi.org/10.3390/molecules26227000>
- Vidana Gamage, G. C., Lim, Y. Y., Choo, W. S. (2021). Anthocyanins from *Clitoria ternatea* flower: Biosynthesis, extraction, stability, antioxidant activity, and applications. *Frontiers in Plant Science*, 12, 792303. <https://doi.org/10.3389/fpls.2021.792303>
- Netravati, N., Gomez, S., Pathrose, B., Raj, M. N., Joseph, M. P., Kuruvila, B. (2022). Comparative evaluation of anthocyanin pigment yield and its attributes from Butterfly pea (*Clitoria ternatea* L.) flowers as prospective food colorant using different extraction methods. *Future Foods*, 6, 100199. <https://doi.org/10.1016/j.fufo.2022.100199>
- Fuzetti, C. G., Castilhos, M. B. M., Nicoletti, V. R. (2022). Microencapsulation of natural blue dye from butterfly pea (*Clitoria ternatea* L.) flowers: The application of different carriers. *Journal of Food Processing and Preservation*, 46 (4). <https://doi.org/10.1111/jfpp.16420>
- Riniati, R., Widiastuti, E., Ismail, M. N., Mochamad, K. (2024). Optimization of Total Anthocyanin Content Extraction from Dried Butterfly Pea Flowers (*Clitoria ternatea* L.) Using Microwave Assisted Extraction (MAE) Method. *Fluida*, 17 (2), 71–77. <https://doi.org/10.35313/fluidav17i2.6049>
- Maneeratanachot, S., Chetpattananondh, P., Kungsanant, S. (2024). Encapsulation of anthocyanin from butterfly pea flowers (*Clitoria ternatea* L.) extract using foam-mat drying. *Food and Bioprocess Technology*, 145, 105–115. <https://doi.org/10.1016/j.fbp.2024.03.003>
- Koirala, P., Sriprabom, J., Winuprasith, T. (2023). Anthocyanin-Rich Butterfly Pea Petal Extract Loaded Double Pickering Emulsion Containing Nanocrystalline Cellulose: Physicochemical Properties, Stability, and Rheology. *Foods*, 12 (22), 4173. <https://doi.org/10.3390/foods12224173>
- Singh, R., Yu, C.-C., Chen, G.-W., Chen, C.-H., Sinaki, N. Y., Lin, J. et al. (2022). Butterfly Pea Flower as a Novel Ingredient to Produce Antioxidant-Enriched Yellow Pea-Based Breakfast Cereals. *Foods*, 11 (21), 3447. <https://doi.org/10.3390/foods11213447>
- Hasanah, N. N., Mohamad Azman, E. M., Rozzamri, A., Zainal Abedin, N. H. Z., Ismail-Fitry, M. R. (2023). A Systematic Review of Butterfly Pea Flower (*Clitoria ternatea* L.): Extraction and Application as a Food Freshness pH-Indicator for Polymer-Based Intelligent Packaging. *Polymers*, 15 (11), 2541. <https://doi.org/10.3390/polym15112541>
- Thanh, V. T., Tran, N. Y. T., Linh, N. T. V., Vy, T. A., Truc, T. T. (2020). Application of anthocyanin natural colors from Butterfly Pea (*Clitoria ternatea* L.) extracts to cupcake. *IOP Conference Series: Materials Science and Engineering*, 736 (6), 062014. <https://doi.org/10.1088/1757-899x/736/6/062014>
- Ab Rashid, S., Tong, W. Y., Leong, C. R., Abdul Ghazali, N. M., Taher, M. A., Ahmad, N. et al. (2021). Anthocyanin Microcapsule from *Clitoria ternatea*: Potential Bio-preservative and Blue Colorant for Baked Food Products. *Ara-bian Journal for Science and Engineering*, 46 (1), 65–72. <https://doi.org/10.1007/s13369-020-04716-y>
- Generalic Mekinac, I., Simat, V. (2025). Bioactive Compounds in Foods: New and Novel Sources, Characterization, Strategies, and Applications. *Foods*, 14 (9), 1617. <https://doi.org/10.3390/foods14091617>
- Willett, W., Rockström, J., Loken, B., Springmann, M., Lang, T., Vermeulen, S. et al. (2019). Food in the Anthropocene: the EAT–Lancet Commission on healthy diets from sustainable food systems. *The Lancet*, 393 (10170), 447–492. [https://doi.org/10.1016/s0140-6736\(18\)31788-4](https://doi.org/10.1016/s0140-6736(18)31788-4)
- Yilmaz, H., Yilmaz, A. (2025). Hidden Hunger in the Age of Abundance: The Nutritional Pitfalls of Modern Staple Crops. *Food Science & Nutrition*, 13 (2). <https://doi.org/10.1002/fsn.34610>
- Bhardwaj, R. L., Parashar, A., Parewa, H. P., Vyas, L. (2024). An Alarming Decline in the Nutritional Quality of Foods: The Biggest Challenge for Future Generations' Health. *Foods*, 13 (6), 877. <https://doi.org/10.3390/foods13060877>
- Bareetseng, S. (2022). The Worldwide Herbal Market: Trends and Opportunities. *Journal of Biomedical Research & Environmental Sciences*, 3 (5), 575–584. <https://doi.org/10.37871/jbres1482>
- Parvin, S., Reza, A., Das, S., Miah, Md. M. U., Karim, S. (2023). Potential Role and International Trade of Medicinal and Aromatic Plants in the World. *European Journal of Agriculture and Food Sciences*, 5 (5), 89–99. <https://doi.org/10.24018/ejfood.2023.5.5.701>
- Ivanišová, E., Kačaniová, M., A. Savitskaya, T., D. Grinshpan, D.; Ahmad, R. S. (Ed.) (2021). Medicinal Herbs: Important Source of Bioactive Compounds for Food Industry. *Herbs and Spices – New Processing Technologies*. IntechOpen. <https://doi.org/10.5772/intechopen.98819>
- Rahaie, S., Gharibzadeh, S. M. T., Razavi, S. H., Jafari, S. M. (2012). Recent developments on new formulations based on nutrient-dense ingredients for the production of healthy-functional bread: a review. *Journal of Food Science and Technology*, 51 (11), 2896–2906. <https://doi.org/10.1007/s13197-012-0833-6>
- Đurović, S., Vujanović, M., Radojković, M., Filipović, J., Filipović, V., Gašić, U. et al. (2020). The functional food production: Application of stinging nettle leaves and its extracts in the baking of a bread. *Food Chemistry*, 312, 126091. <https://doi.org/10.1016/j.foodchem.2019.126091>
- Vivek-Ananth, R. P., Mohanraj, K., Sahoo, A. K., Samal, A. (2022). *IMPPAT 2.0: an enhanced and expanded phytochemical atlas of Indian medicinal plants*. bioRxiv. <https://doi.org/10.1101/2022.06.17.496609>
- Al-Rubaye, A. F., Kaizal, A. F., Hameed, I. H. (2017). Phytochemical Screening of Methanolic Leaves Extract of *Malva sylvestris*. *International Journal of Pharmacognosy and Phytochemical Research*, 9 (4). <https://doi.org/10.25258/phyto.v9i4.8127>
- Chua, L. S., Thong, H. Y., Soo, J. (2024). Effect of pH on the extraction and stability of anthocyanins from jaboticaba berries. *Food Chemistry Advances*, 5, 100835. <https://doi.org/10.1016/j.focha.2024.100835>
- Lijon, M. B., Meghla, N. S., Jahedi, E., Rahman, M. A., Hossain, I. (2017). Phytochemistry and pharmacological activities of *Clitoria ternatea*. *International Journal of Natural and Social Sciences*, 4 (1), 1–10. Available at: https://www.researchgate.net/publication/312498930_Phytochemistry_and_pharmacological_activities_of_Clitoria_ternatea
- Martillanes, S., Rocha-Pimienta, J., Delgado- Adámez, J.; Díaz, A. V., García-Gimeno, R. M. (Eds.) (2018). Agrifood By-Products as a Source of Phytochemical Compounds. *Descriptive Food Science*. IntechOpen. <https://doi.org/10.5772/intechopen.79434>
- Czubaszek, A., Czaja, A., Sokół-Lętkowska, A., Kolniak-Ostek, J., Kucharska, A. Z. (2021). Changes in Antioxidant Properties and Amounts of Bioactive Compounds during Simulated In Vitro Digestion of Wheat Bread Enriched with Plant Extracts. *Molecules*, 26 (20), 6292. <https://doi.org/10.3390/molecules26206292>
- Teshome, E., Forsido, S. F., Rupasinghe, H. P. V., Olika Keyata, E. (2022). Potentials of Natural Preservatives to Enhance Food Safety and Shelf Life: A Review. *The Scientific World Journal*, 2022, 1–11. <https://doi.org/10.1155/2022/9901018>
- Damani, Z., Topi, D. (2022). Application of Plant Extracts in the Food and Pharmaceutical Industry. *Novel Techniques in Nutrition & Food Science*, 6 (4). <https://doi.org/10.31031/ntnf.2022.06.000644>
- Harfoush, A., Swaidan, A., Khazaal, S., Salem Sokhn, E., Grimi, N., Debs, E. et al. (2024). From Spent Black and Green Tea to Potential Health Boosters: Optimization of Polyphenol Extraction and Assessment of Their Antioxidant and Antibacterial Activities. *Antioxidants*, 13 (12), 1588. <https://doi.org/10.3390/antiox13121588>

33. Shoviantari, F., Erawati, T., Soeratri, W., Rahmadi, M., Permadi, G. W., Rafibahtiyar, M. (2024). Antioxidant, Anti-Melanogenesis, and Cytotoxic Effects of *Clitoria ternatea* (Butterfly Pea) Flower Extract on B16 Melanoma Cells. *Tropical Journal of Natural Product Research*, 8 (12). <https://doi.org/10.26538/tjnp/v8i12.15>
34. Athallah, D. R., Rudiyanto, W., Wijaya, S. M., Angraini, D. I. (2024). Pharmacological potential of butterfly pea (*Clitoria ternatea*). *Medula Journal of Medical Profession*, 14 (8), 1613–1619.
35. Charurungsipong, P., Tangduangdee, C., Amornraksa, S., Asavasanti, S., Lin, J. (2020). Improvement of Anthocyanin Stability in Butterfly Pea Flower Extract by Co-pigmentation with Catechin. *E3S Web of Conferences*, 141, 03008. <https://doi.org/10.1051/e3sconf/202014103008>
36. Lee, P. M., Abdullah, R., Lee, K. H. (2011). Thermal degradation of blue anthocyanin extracts of *Clitoria ternatea* flower. *2nd International Conference on Biotechnology and Food Science*, 7, 49–53.
37. Escher, G. B., Marques, M. B., do Carmo, M. A. V., Azevedo, L., Furtado, M. M., Sant'Ana, A. S. et al. (2020). *Clitoria ternatea* L. petal bioactive compounds display antioxidant, antihemolytic and antihypertensive effects, inhibit α -amylase and α -glucosidase activities and reduce human LDL cholesterol and DNA induced oxidation. *Food Research International*, 128, 108763. <https://doi.org/10.1016/j.foodres.2019.108763>
38. Kryzhak, L. (2022). Antocyanes from *Clitoria ternatea* flowers. *Herald of Khmelnytskyi National University*, 305 (1), 269–272. <https://doi.org/10.31891/2307-5732-2022-305-1-269-272>
39. Chusak, C., Henry, C. J., Chantarasinlapin, P., Techasukthavorn, V., Adisakwattana, S. (2018). Influence of *Clitoria ternatea* Flower Extract on the In Vitro Enzymatic Digestibility of Starch and Its Application in Bread. *Foods*, 7 (7), 102. <https://doi.org/10.3390/foods7070102>
40. Khatib, A., Tofrizal, Arisanty, D. (2024). Toxicity effects of *Clitoria ternatea* L. extract in liver and kidney histopathological examination in *Mus musculus*. *IJUM Medical Journal Malaysia*, 23 (1).
41. Sri Widiarti, Sunarti, Febrina, D. (2024). Bilirubin level, SGOT, and SGPT of rats on acute toxicity of butterfly pea ethanol extract (*Clitoria Ternatea* L.). *Jurnal Ilmiah Farmasi Farmasyifa*, 7 (1), 67–78. <https://doi.org/10.29313/jiff.v7i1.3149>
42. Jeyaraj, E. J., Lim, Y. Y., Choo, W. S. (2022). Antioxidant, cytotoxic, and antibacterial activities of *Clitoria ternatea* flower extracts and anthocyanin-rich fraction. *Scientific Reports*, 12 (1). <https://doi.org/10.1038/s41598-022-19146-z>
43. Mousavi, S. M., Hashemi, S. A., Behbudi, G., Mazraedoost, S., Omidifar, N., Gholami, A. et al. (2021). A Review on Health Benefits of *Malva sylvestris* L. Nutritional Compounds for Metabolites, Antioxidants, and Anti-Inflammatory, Anticancer, and Antimicrobial Applications. *Evidence-Based Complementary and Alternative Medicine*, 2021, 1–13. <https://doi.org/10.1155/2021/5548404>
44. Alexieva, I., Baeva, M., Popova, A., Fidan, H., Goranova, Z., Milkova-Tomova, I. (2022). Development and Application of Edible Coatings with *Malva sylvestris* L. Extract to Extend Shelf-Life of Small Loaf. *Foods*, 11 (23), 3831. <https://doi.org/10.3390/foods11233831>
45. Sutakwa, A., Nadia, L. S., Suharman, S. (2021). Addition of blue pea flower (*Clitoria ternatea* L.) extract increase antioxidant activity in yogurt from various types of milk. *Jurnal Agercolere*, 3 (1), 31–37. <https://doi.org/10.37195/jac.v3i1.123>
46. Manimaran, D. (2023). A review on the ethnobotany and phytochemical composition and functions of different parts of *Clitoria ternatea*, butterfly pea flower. *Journal of Food, Nutrition and Population Health*, 7 (3). Available at: <https://www.primescholars.com/articles/a-review-on-the-ethnobotany-and-phytochemical-composition-and-functions-of-different-parts-of-emclitoria-ternateaem-butt.pdf>
47. Shiau, S.-Y., Yu, Y., Li, J., Huang, W., Feng, H. (2023). Phytochemical-Rich Colored Noodles Fortified with an Aqueous Extract of *Clitoria ternatea* Flowers. *Foods*, 12 (8), 1686. <https://doi.org/10.3390/foods12081686>
48. Multisona, R. R., Mysza, K., Kulczyński, B., Arnold, M., Brzozowska, A., Gramza-Michałowska, A. (2024). Cookies Fortified with *Clitoria ternatea* Butterfly Pea Flower Petals: Antioxidant Capacity, Nutritional Composition, and Sensory Profile. *Foods*, 13 (18), 2924. <https://doi.org/10.3390/foods13182924>
49. Pasukamonset, P., Pumalee, T., Sanguansuk, N., Chumyen, C., Wongvasu, P., Adisakwattana, S. et al. (2018). Physicochemical, antioxidant and sensory characteristics of sponge cakes fortified with *Clitoria ternatea* extract. *Journal of Food Science and Technology*, 55 (8), 2881–2889. <https://doi.org/10.1007/s13197-018-3204-0>
50. Batiha, G. E.-S., Tene, S. T., Teibo, J. O., Shaheen, H. M., Oluwatoba, O. S., Teibo, T. K. A. et al. (2023). The phytochemical profiling, pharmacological activities, and safety of *malva sylvestris*: a review. *Naunyn-Schmiedeberg's Archives of Pharmacology*, 396 (3), 421–440. <https://doi.org/10.1007/s00210-022-02329-w>
51. Noghani Bahambari, F., Rajabi Islami, H., Shamsaie Mehran, M. (2024). Extract of common mallow (*Malva sylvestris*) petals incorporated in starch/tragacanth gum film as a halochromic indicator for monitoring of Nile tilapia (*Oreochromis niloticus*) fillet quality. *Journal of Food Measurement and Characterization*, 18 (6), 4161–4176. <https://doi.org/10.1007/s11694-024-02484-z>
52. Abbasi, A., Sabahi, S., Bazzaz, S., Tajani, A. G., Lahouty, M., Aslani, R. et al. (2023). An edible coating utilizing *Malva sylvestris* seed polysaccharide mucilage and postbiotic from *Saccharomyces cerevisiae* var. *boulardii* for the preservation of lamb meat. *International Journal of Biological Macromolecules*, 246, 125660. <https://doi.org/10.1016/j.ijbiomac.2023.125660>
53. DSTU 7044:2009 *Vyroby khllobulochni. Pravyla pryimannia, metody vidbyrannia prob, metody vyznachannia orhanoleptychnykh pokaznykiv i masy vyrobiv* (2009). Kyiv: Derzhspozhyvstandart Ukrainy, 21.
54. DSTU 9188:2022 *Vyroby khllobulochni. Orhanoleptychne otsiniuvannia pokaznykiv yakosti* (2022). Kyiv: DP "UkrNDNTs", 14.
55. DSTU EN ISO 4833-1:2014 *Mikrobiolohiia kharchovoho lantsiuha. Horyzontalnyi metod pidrakhunku mikroorhanizmv. Chastyna 1. Pidrakhunok kolonii za temperatury 30° S metodom rozlyvu po chashkakh* (EN ISO 4833-1:2013, IDT) (2014). Kyiv: DP "UkrNDNTs", 18.
56. Marpaung, A., Paramaputri, A. (2023). UV-visible light spectra of *Clitoria ternatea* L. flower extract during aqueous extraction and storage. *International Food Research Journal*, 30 (3), 764–773. <https://doi.org/10.47836/ifrj.30.3.18>
57. Kazuma, K., Noda, N., Suzuki, M. (2003). Flavonoid composition related to petal color in different lines of *Clitoria ternatea*. *Phytochemistry*, 64 (6), 1133–1139. [https://doi.org/10.1016/s0031-9422\(03\)00504-1](https://doi.org/10.1016/s0031-9422(03)00504-1)
58. Torskangerpoll, K., Andersen, Ø. M. (2005). Colour stability of anthocyanins in aqueous solutions at various pH values. *Food Chemistry*, 89 (3), 427–440. <https://doi.org/10.1016/j.foodchem.2004.03.002>
59. Drobot, V. I. (2019). *Dovidnyk z tekhnolohii khllobekarskoho vyrobnytstva*. Kyiv: ProfKnyha, 580. Available at: https://profbook.com.ua/index.php?download_id=1203&product_id=3131&route=product%2Fproduct%2Fdownload